



# PRECISION GROUND FLAT STOCK

*Largest Standard Stock List in the Industry*

**AISI 0-1 OIL HARDENING**

**AISI A-2 AIR HARDENING**

**AISI 1018 LOW CARBON**

**AISI D-2 AIR HARDENING**

**AISI A-6 AIR HARDENING**

**AISI S-7 AIR HARDENING**

**AISI 4142 PRE-HARDENED**

**AISI M-2 HIGH SPEED**

**Distributor Prices Effective August 18, 2008**

P.O. Box 10  
Beaver Falls, PA 15010

224 Norwood Drive  
Beaver Falls, PA 15010

Toll Free: 1(800) 551-2242  
Toll Free: 1(800) 255-9136

Phone: (724) 843-9400  
Phone: (724) 843-9440

Fax: (724) 843-7718

Please Visit our Website at [www.DBSSTEEL.com](http://www.DBSSTEEL.com)

## AISI 0-1 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION OIL 0-1 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .85-1.00 %      Silicon .10-.50 %      Tungsten .40-.60 %      Sulfur .030 %  
Manganese 1.00-1.40 %      Chromium .40-.70%      Vanadium .30 %      Phosphorus .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/64"	1/2	21.70	20.68	43.40	41.36
	3/4	22.58	21.50	45.16	43.00
	1	23.70	22.58	47.40	45.16
	1 - 1/4	24.83	23.65	49.66	47.30
	1 - 1/2	27.36	26.06	54.72	52.12
	2	33.98	32.36	67.96	64.72
	2 - 1/2	38.95	37.10	77.90	74.20
	3	46.66	44.45	93.32	88.90
	3 - 1/2	54.74	52.14	109.48	104.28
	4	62.84	59.85	125.68	119.70
1/32"	1/2	3.54	3.38	7.08	6.76
	3/4	4.79	4.56	9.58	9.12
	1	5.61	5.35	11.22	10.70
	1 - 1/4	6.60	6.29	13.20	12.58
	1 - 1/2	7.66	7.30	15.32	14.60
	1 - 3/4	8.63	8.23	17.26	16.46
	2	9.64	9.19	19.28	18.38
	2 - 1/2	11.69	11.14	23.38	22.28
	3	13.78	13.13	27.56	26.26
	3 - 1/2	15.83	15.08	31.66	30.16
	4	17.88	17.03	35.76	34.06
	5	21.94	20.90	43.88	41.80
	6	26.05	24.81	52.10	49.62
	8	34.75	33.10	69.50	66.20
3/64"	1/4	17.11	16.30	34.22	32.60
	5/16	14.93	14.23	29.86	28.46
	3/8	9.46	9.01	18.92	18.02
	1/2	3.60	3.44	7.20	6.88
	5/8	4.29	4.09	8.58	8.18
	3/4	4.66	4.45	9.32	8.90
	1	5.69	5.43	11.38	10.86
	1- 1/4	6.71	6.40	13.42	12.80
	1- 1/2	7.74	7.38	15.48	14.76
	1- 3/4	9.01	8.59	18.02	17.18
	2	9.79	9.33	19.58	18.66
	2- 1/2	11.84	11.28	23.68	22.56
	3	13.88	13.23	27.76	26.46
	3- 1/2	15.91	15.16	31.82	30.32

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/64"	4	17.94	17.09	35.88	34.18
	5	22.90	21.81	45.80	43.62
	6	26.09	24.85	52.18	49.70
	8	40.10	38.20	80.20	76.40
1/16"	1/4	5.29	5.04	10.58	10.08
	5/16	5.98	5.70	11.96	11.40
	3/8	2.63	2.51	5.26	5.02
	1/2	2.70	2.58	5.40	5.16
	5/8	3.16	3.01	6.32	6.02
	3/4	3.47	3.31	6.94	6.62
	7/8	3.83	3.65	7.66	7.30
	1	4.16	3.97	8.32	7.94
	1 - 1/4	4.86	4.63	9.72	9.26
	1 - 1/2	5.62	5.35	11.24	10.70
	1 - 3/4	6.28	5.99	12.56	11.98
	2	7.02	6.70	14.04	13.40
	2 - 1/2	8.44	8.04	16.88	16.08
	3	9.86	9.40	19.72	18.80
	3 - 1/2	11.30	10.78	22.60	21.56
	4	12.71	12.11	25.42	24.22
4 - 1/2	14.42	13.74	28.84	27.48	
5	15.55	14.82	31.10	29.64	
6	18.43	17.56	36.86	35.12	
8	26.99	25.70	53.98	51.40	
10	33.38	31.80	66.76	63.60	
5/64"	1/4	12.04	11.47	24.08	22.94
	5/16	10.37	9.88	20.74	19.76
	3/8	6.64	6.32	13.28	12.64
	1/2	3.44	3.29	6.88	6.58
	5/8	3.96	3.78	7.92	7.56
	3/4	4.28	4.08	8.56	8.16
	1	5.16	4.92	10.32	9.84
	1 - 1/4	6.36	6.06	12.72	12.12
	1 - 1/2	6.90	6.58	13.80	13.16
	1 - 3/4	8.28	7.90	16.56	15.80
2	8.66	8.26	17.32	16.52	
2 - 1/2	10.16	9.68	20.32	19.36	
3	11.92	11.35	23.84	22.70	
3 - 1/2	14.29	13.62	28.58	27.24	

Quotations will be promptly supplied on any size or quantity.

## AISI 0-1 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION OIL 0-1 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .85-1.00 %      Silicon .10-.50 %      Tungsten .40-.60 %      Sulfur .030 %  
Manganese 1.00-1.40 %      Chromium .40-.70%      Vanadium .30 %      Phosphorus .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/64"	4	15.60	14.87	31.20	29.74
	5	20.58	19.61	41.16	39.22
	6	22.55	21.48	45.10	42.96
3/32"	1/4	12.04	11.47	24.08	22.94
	5/16	10.37	9.88	20.74	19.76
	3/8	6.64	6.32	13.28	12.64
	1/2	3.55	3.38	7.10	6.76
	5/8	4.10	3.91	8.20	7.82
	3/4	4.43	4.22	8.86	8.44
	7/8	4.86	4.63	9.72	9.26
	1	5.30	5.05	10.60	10.10
	1- 1/4	6.12	5.83	12.24	11.66
	1- 1/2	7.01	6.68	14.02	13.36
	1- 3/4	8.28	7.90	16.56	15.80
	2	8.72	8.32	17.44	16.64
	2- 1/2	10.16	9.68	20.32	19.36
	3	11.92	11.35	23.84	22.70
3- 1/2	14.29	13.62	28.58	27.24	
4	15.66	14.92	31.32	29.84	
4- 1/2	17.35	16.54	34.70	33.08	
5	19.10	18.20	38.20	36.40	
6	22.55	21.48	45.10	42.96	
7	29.63	28.22	59.26	56.44	
8	33.02	31.45	66.04	62.90	
10	47.52	45.26	95.04	90.52	
7/64"	3/8	6.96	6.64	13.92	13.28
	1/2	4.25	4.06	8.50	8.12
	5/8	4.97	4.74	9.94	9.48
	3/4	5.29	5.04	10.58	10.08
	1	6.28	5.99	12.56	11.98
	1- 1/4	7.28	6.95	14.56	13.90
	1- 1/2	7.98	7.61	15.96	15.22
	1- 3/4	8.87	8.45	17.74	16.90
	2	9.28	8.84	18.56	17.68
	2- 1/2	10.56	10.07	21.12	20.14
	3	12.77	12.17	25.54	24.34
	3- 1/2	14.72	14.03	29.44	28.06
	4	17.06	16.26	34.12	32.52
	4- 1/2	20.42	19.45	40.84	38.90
5	23.80	22.67	47.60	45.34	

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
7/64"	6	33.71	32.11	67.42	64.22
	7	41.10	39.14	82.20	78.28
	8	48.47	46.16	96.94	92.32
1/8"	1/8	8.04	7.67	16.08	15.34
	1/4	3.07	2.93	6.14	5.86
	5/16	3.55	3.38	7.10	6.76
	3/8	3.53	3.36	7.06	6.72
	1/2	3.89	3.71	7.78	7.42
	5/8	4.31	4.10	8.62	8.20
	3/4	4.79	4.56	9.58	9.12
	7/8	7.13	6.79	14.26	13.58
	1	5.65	5.39	11.30	10.78
	1- 1/4	6.47	6.17	12.94	12.34
	1- 1/2	7.37	7.02	14.74	14.04
	1- 3/4	8.22	7.84	16.44	15.68
	2	8.69	8.28	17.38	16.56
	2- 1/2	9.91	9.44	19.82	18.88
3	11.96	11.40	23.92	22.80	
3- 1/2	13.79	13.14	27.58	26.28	
4	16.00	15.24	32.00	30.48	
4- 1/2	17.86	17.02	35.72	34.04	
5	19.60	18.67	39.20	37.34	
6	23.09	22.00	46.18	44.00	
7	29.87	28.45	59.74	56.90	
8	33.83	32.22	67.66	64.44	
10	41.71	39.73	83.42	79.46	
12	49.62	47.27	99.24	94.54	
14	57.31	54.59	114.62	109.18	
9/64"	9/64	8.20	7.81	16.40	15.62
	1/2	4.82	4.60	9.64	9.20
	5/8	5.48	5.23	10.96	10.46
	3/4	5.48	5.23	10.96	10.46
	1	6.52	6.22	13.04	12.44
	1- 1/4	7.97	7.60	15.94	15.20
	1- 1/2	8.47	8.08	16.94	16.16
2	10.50	10.01	21.00	20.02	
2- 1/2	13.55	12.91	27.10	25.82	
3	14.50	13.81	29.00	27.62	
3- 1/2	16.98	16.18	33.96	32.36	

Quotations will be promptly supplied on any size or quantity.

## AISI 0-1 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION OIL 0-1 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .85-1.00 %      Silicon .10-.50 %      Tungsten .40-.60 %      Sulfur .030 %  
Manganese 1.00-1.40 %      Chromium .40-.70%      Vanadium .30 %      Phosphorus .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
9/64"	4	18.40	17.52	36.80	35.04
	5	26.08	24.84	52.16	49.68
	6	33.53	31.93	67.06	63.86
5/32"	5/32	7.92	7.55	15.84	15.10
	1/4	12.25	11.68	24.50	23.36
	5/16	10.86	10.34	21.72	20.68
	3/8	7.13	6.79	14.26	13.58
	1/2	4.79	4.56	9.58	9.12
	5/8	5.88	5.60	11.76	11.20
	3/4	5.88	5.60	11.76	11.20
	1	6.92	6.60	13.84	13.20
	1- 1/4	7.93	7.56	15.86	15.12
	1- 1/2	8.69	8.28	17.38	16.56
	1- 3/4	9.91	9.44	19.82	18.88
	2	11.16	10.63	22.32	21.26
	2- 1/2	13.24	12.61	26.48	25.22
	3	15.38	14.65	30.76	29.30
	3- 1/2	17.03	16.22	34.06	32.44
	4	18.40	17.52	36.80	35.04
	4- 1/2	22.24	21.18	44.48	42.36
	5	23.94	22.80	47.88	45.60
	6	28.18	26.84	56.36	53.68
	8	41.11	39.16	82.22	78.32
3/16"	3/16	7.60	7.24	15.20	14.48
	1/4	4.19	4.00	8.38	8.00
	5/16	4.76	4.55	9.52	9.10
	3/8	4.74	4.52	9.48	9.04
	1/2	5.21	4.97	10.42	9.94
	5/8	5.89	5.62	11.78	11.24
	3/4	6.26	5.98	12.52	11.96
	7/8	7.36	7.01	14.72	14.02
	1	7.36	7.01	14.72	14.02
	1- 1/4	8.32	7.92	16.64	15.84
	1- 1/2	9.40	8.95	18.80	17.90
	1- 3/4	10.49	10.00	20.98	20.00
	2	11.54	11.00	23.08	22.00
	2- 1/2	13.55	12.91	27.10	25.82
	3	15.82	15.07	31.64	30.14
	3- 1/2	17.99	17.14	35.98	34.28

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
3/16"	4	20.09	19.14	40.18	38.28	
	4- 1/2	22.69	21.61	45.38	43.22	
	5	24.38	23.23	48.76	46.46	
	6	28.68	27.32	57.36	54.64	
	7	36.52	34.79	73.04	69.58	
	8	41.71	39.73	83.42	79.46	
	10	51.32	48.89	102.64	97.78	
	12	61.00	58.09	122.00	116.18	
	14	81.88	77.99	163.76	155.98	
	7/32"	7/32	7.60	7.24	15.20	14.48
		5/16	12.18	11.60	24.36	23.20
		3/8	9.59	9.13	19.18	18.26
		1/2	6.25	5.96	12.50	11.92
		3/4	7.51	7.16	15.02	14.32
1		8.54	8.15	17.08	16.30	
1- 1/4		9.59	9.13	19.18	18.26	
1- 1/2		10.76	10.26	21.52	20.52	
2		13.14	12.52	26.28	25.04	
2- 1/2		15.06	14.35	30.12	28.70	
1/4"	3	17.46	16.63	34.92	33.26	
	3- 1/2	20.77	19.79	41.54	39.58	
	4	24.07	22.93	48.14	45.86	
	6	34.30	32.66	68.60	65.32	
	8	52.70	50.20	105.40	100.40	
	1/4"	1/4	7.15	6.82	14.30	13.64
	5/16	11.39	10.85	22.78	21.70	
	3/8	5.60	5.34	11.20	10.68	
	1/2	6.11	5.82	12.22	11.64	
	5/8	6.72	6.41	13.44	12.82	
3/4	7.28	6.95	14.56	13.90		
7/8	8.50	8.10	17.00	16.20		
1	8.50	8.10	17.00	16.20		
1- 1/4	9.60	9.14	19.20	18.28		
1- 1/2	10.78	10.27	21.56	20.54		
1- 3/4	11.92	11.35	23.84	22.70		
2	13.20	12.58	26.40	25.16		
2- 1/2	15.58	14.84	31.16	29.68		
3	17.95	17.10	35.90	34.20		
3- 1/2	20.36	19.40	40.72	38.80		

## AISI 0-1 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION OIL 0-1 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .85-1.00 %      Silicon .10-.50 %      Tungsten .40-.60 %      Sulfur .030 %  
Manganese 1.00-1.40 %      Chromium .40-.70%      Vanadium .30 %      Phosphorus .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
1/4"	4	22.74	21.66	45.48	43.32	
	4- 1/2	25.12	23.93	50.24	47.86	
	5	27.52	26.21	55.04	52.42	
	5- 1/2	29.90	28.49	59.80	56.98	
	6	33.62	32.03	67.24	64.06	
	7	41.58	39.60	83.16	79.20	
	8	47.02	44.78	94.04	89.56	
	10	57.77	55.02	115.54	110.04	
	12	68.59	65.33	137.18	130.66	
	14	79.04	75.29	158.08	150.58	
	9/32"	9/32	7.21	6.88	14.42	13.76
		5/16	11.04	10.52	22.08	21.04
		3/8	9.60	9.15	19.20	18.30
		1/2	6.82	6.50	13.64	13.00
5/8		8.12	7.74	16.24	15.48	
3/4		8.12	7.74	16.24	15.48	
7/8		9.45	9.00	18.90	18.00	
1		9.45	9.00	18.90	18.00	
1- 1/4		10.66	10.15	21.32	20.30	
1- 1/2		11.99	11.43	23.98	22.86	
1- 3/4		13.85	13.19	27.70	26.38	
2		14.59	13.90	29.18	27.80	
2- 1/2		17.18	16.36	34.36	32.72	
3		19.83	18.88	39.66	37.76	
4		24.74	23.56	49.48	47.12	
6		35.51	33.82	71.02	67.64	
5/16"		5/16	7.49	7.13	14.98	14.26
		3/8	6.52	6.21	13.04	12.42
	1/2	7.07	6.74	14.14	13.48	
	5/8	7.77	7.41	15.54	14.82	
	3/4	8.45	8.05	16.90	16.10	
	7/8	9.80	9.34	19.60	18.68	
	1	9.80	9.34	19.60	18.68	
	1- 1/4	11.03	10.51	22.06	21.02	
	1- 1/2	12.42	11.83	24.84	23.66	
	1- 3/4	13.79	13.13	27.58	26.26	
	2	14.97	14.26	29.94	28.52	
	2- 1/2	17.85	17.01	35.70	34.02	
	3	20.54	19.56	41.08	39.12	
	3- 1/2	23.29	22.18	46.58	44.37	

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
5/16"	4	26.00	24.77	52.00	49.54	
	4- 1/2	28.74	27.37	57.48	54.74	
	5	31.43	29.93	62.86	59.86	
	5- 1/2	35.54	33.84	71.08	67.68	
	6	38.25	36.43	76.50	72.86	
	7	47.30	45.06	94.60	90.12	
	8	53.49	50.95	106.98	101.90	
	10	65.67	62.55	131.34	125.10	
	12	77.91	74.21	155.82	148.42	
	3/8"	3/8	9.45	9.00	18.90	18.00
		1/2	8.63	8.22	17.26	16.44
		5/8	9.46	9.02	18.92	18.04
3/4		10.28	9.80	20.56	19.60	
7/8		11.91	11.35	23.82	22.70	
1		11.91	11.35	23.82	22.70	
1- 1/4		13.41	12.78	26.82	25.56	
1- 1/2		14.31	13.63	28.62	27.26	
1- 3/4		15.62	14.88	31.24	29.76	
2		16.93	16.12	33.86	32.24	
2- 1/2		20.48	19.52	40.96	39.04	
3		24.59	23.43	49.18	46.86	
3- 1/2		27.89	26.57	55.78	53.14	
4		31.31	29.83	62.62	59.66	
4- 1/2		32.07	30.56	64.14	61.12	
5		38.04	36.24	76.08	72.48	
5- 1/2		41.33	39.36	82.66	78.72	
6		44.60	42.48	89.20	84.96	
7	54.56	51.97	109.12	103.94		
8	62.77	59.79	125.54	119.58		
10	77.45	73.77	154.90	147.54		
12	89.82	85.55	179.64	171.10		
14	102.21	97.35	204.42	194.70		
7/16"	7/16	12.16	11.58	24.32	23.16	
	1/2	10.98	10.47	21.96	20.94	
	5/8	11.99	11.43	23.98	22.86	
	3/4	13.01	12.40	26.02	24.80	
	1	15.04	14.33	30.08	28.66	
	1- 1/4	16.91	16.10	33.82	32.20	
1- 1/2	18.80	17.92	37.60	35.84		
1 3/4	20.14	19.18	40.28	38.36		

Quotations will be promptly supplied on any size or quantity.

## AISI 0-1 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION OIL 0-1 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .85-1.00 %      Silicon .10-.50 %      Tungsten .40-.60 %      Sulfur .030 %  
Manganese 1.00-1.40 %      Chromium .40-.70%      Vanadium .30 %      Phosphorus .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
7/16"	2	21.49	20.47	42.98	40.94
	2- 1/2	25.36	24.15	50.72	48.30
	3	29.42	28.03	58.84	56.06
	3- 1/2	33.42	31.83	66.84	63.66
	4	37.36	35.59	74.72	71.18
	6	55.57	52.92	111.14	105.84
1/2"	1/2	11.02	10.51	22.04	21.02
	5/8	12.05	11.47	24.10	22.94
	3/4	13.10	12.49	26.20	24.98
	7/8	14.12	13.45	28.24	26.90
	1	15.11	14.40	30.22	28.80
	1- 1/4	17.12	16.30	34.24	32.60
	1- 1/2	19.18	18.27	38.36	36.54
	1- 3/4	21.31	20.30	42.62	40.60
	2	23.29	22.19	46.58	44.38
	2- 1/2	27.34	26.04	54.68	52.08
	3	31.08	29.60	62.16	59.20
	3- 1/2	34.96	33.30	69.92	66.60
	4	38.76	36.93	77.52	73.86
	4- 1/2	43.90	41.81	87.80	83.62
	5	48.29	45.99	96.58	91.98
	5- 1/2	57.70	54.96	115.40	109.92
	6	59.19	56.38	118.38	112.76
	7	69.42	66.12	138.84	132.24
8	76.82	73.17	153.64	146.34	
10	95.24	90.71	190.48	181.42	
12	108.39	103.24	216.78	206.48	
14	131.02	124.78	262.04	249.56	
9/16"	9/16	15.90	15.15	31.80	30.30
	3/4	17.97	17.13	35.94	34.26
	1	20.71	19.73	41.42	39.46
	1- 1/4	23.39	22.28	46.78	44.56
	1- 1/2	26.14	24.89	52.28	49.78
	2	31.65	30.14	63.30	60.28
	2- 1/2	44.45	42.34	88.90	84.68
	3	51.81	49.35	103.62	98.70
	3- 1/2	58.10	55.34	116.20	110.68
	4	64.52	61.45	129.04	122.90

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/8"	5/8	17.23	16.41	34.46	32.82
	3/4	18.66	17.78	37.32	35.56
	7/8	20.08	19.13	40.16	38.26
	1	21.44	20.43	42.88	40.86
	1- 1/4	24.21	23.07	48.42	46.14
	1- 1/2	26.98	25.71	53.96	51.42
	1- 3/4	30.42	28.97	60.84	57.94
	2	32.68	31.13	65.36	62.26
	2- 1/2	38.28	36.47	76.56	72.94
	3	43.95	41.86	87.90	83.72
	3- 1/2	49.59	47.23	99.18	94.46
	4	55.25	52.62	110.50	105.24
3/4"	3/4	21.53	20.50	43.06	41.00
	7/8	22.31	21.25	44.62	42.50
	1	25.48	24.27	50.96	48.54
	1- 1/4	28.59	27.24	57.18	54.48
	1- 1/2	31.88	30.36	63.76	60.72
	1- 3/4	35.83	34.12	71.66	68.24
	2	38.48	36.65	76.96	73.30
	2- 1/2	45.01	42.88	90.02	85.76
	3	51.60	49.15	103.20	98.30
	3- 1/2	58.18	55.42	116.36	110.84
	4	64.76	61.68	129.52	123.36
	4- 1/2	71.32	67.94	142.64	135.88
5	78.33	74.60	156.66	149.20	
6	91.41	87.07	182.82	174.14	
7	115.56	110.06	231.12	220.12	
8	127.83	121.75	255.66	243.50	
10	158.16	150.63	316.32	301.26	
12	184.77	175.98	369.54	351.96	

## AISI 0-1 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION OIL 0-1 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .85-1.00 %      Silicon .10-.50 %      Tungsten .40-.60 %      Sulfur .030 %  
Manganese 1.00-1.40 %      Chromium .40-.70%      Vanadium .30 %      Phosphorus .030 %

Size		Less than	\$2,000	Less than	\$2,000
		\$2,000	or	\$2,000	or
		18"	More	36"	More
		18"	18"	36"	36"
7/8"	7/8	27.15	25.86	54.30	51.72
	1	27.15	25.86	54.30	51.72
	1- 1/4	32.20	30.67	64.40	61.34
	1- 1/2	36.96	35.20	73.92	70.40
	2	45.58	43.42	91.16	86.84
	2- 1/2	53.24	50.71	106.48	101.42
	3	60.92	58.03	121.84	116.06
	3- 1/2	68.59	65.33	137.18	130.66
	4	76.26	72.63	152.52	145.26
	6	107.33	102.22	214.66	204.44
1"	1	27.26	25.96	54.52	51.92
	1- 1/4	35.57	33.88	71.14	67.76
	1- 1/2	36.93	35.18	73.86	70.36
	1- 3/4	41.87	39.88	83.74	79.76
	2	46.93	44.69	93.86	89.38
	2- 1/2	55.19	52.57	110.38	105.14
	3	63.03	60.04	126.06	120.08
	3- 1/2	70.84	67.47	141.68	134.94
	4	78.69	74.95	157.38	149.90
	4- 1/2	86.54	82.42	173.08	164.84
	5	94.72	90.21	189.44	180.42
	6	110.40	105.15	220.80	210.30
	8	157.50	150.01	315.00	300.02
	10	190.12	181.07	380.24	362.14
12	222.71	212.10	445.42	424.20	
1-1/8"	1- 1/8	34.71	33.06	69.42	66.12
	1- 1/2	41.98	39.99	83.96	79.98
	2	52.04	49.57	104.08	99.14
	2- 1/2	63.11	60.10	126.22	120.20
	3	74.64	71.08	149.28	142.16
	4	92.64	88.23	185.28	176.46
	5	119.92	114.21	239.84	228.42
6	129.03	122.96	258.06	245.92	
1-1/4"	1- 1/4	36.44	34.72	72.88	69.44
	1- 1/2	46.32	44.12	92.64	88.24
	1- 3/4	51.11	48.68	102.22	97.36
	2	55.98	53.32	111.96	106.64
	2- 1/2	67.40	64.20	134.80	128.40

Size		Less than	\$2,000	Less than	\$2,000	
		\$2,000	or	\$2,000	or	
		18"	More	36"	More	
		18"	18"	36"	36"	
1-1/4"	3	78.95	75.20	157.90	150.40	
	3- 1/2	90.55	86.24	181.10	172.48	
	4	98.66	93.96	197.32	187.92	
	5	118.51	112.87	237.02	225.74	
	6	137.97	131.41	275.94	262.82	
	8	163.81	156.01	327.62	312.02	
	10	233.81	222.67	467.62	445.34	
	1-1/2"	1- 1/2	49.12	46.78	98.24	93.56
		1- 3/4	62.61	59.63	125.22	119.26
		2	69.50	66.20	139.00	132.40
2- 1/2		80.67	76.84	161.34	153.68	
3		91.85	87.48	183.70	174.96	
3- 1/2		103.00	98.11	206.00	196.22	
4		114.19	108.76	228.38	217.52	
5		136.92	130.41	273.84	260.82	
6		161.16	153.49	322.32	306.98	
8		223.10	212.49	446.20	424.98	
10		269.63	256.80	539.26	513.60	
12		391.24	372.61	782.48	745.22	
2"	2	89.06	84.82	178.12	169.64	
	2- 1/2	117.14	111.56	234.28	223.12	
	3	122.38	116.56	244.76	233.12	
	4	145.22	138.31	290.44	276.62	
	6	193.36	184.15	386.72	368.30	

## AISI A-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .95-1.05 %      Molybdenum .90-1.40 %  
Manganese .40-1.00 %      Chromium 4.75-5.50 %

Phosphorus .030 %      Sulfur .030 %  
Vanadium .15-.50 %      Silicon .10-.50 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/32"	1/2	6.07	5.78	12.14	11.56
	3/4	8.17	7.79	16.34	15.58
	1	9.52	9.07	19.04	18.14
	1 - 1/4	11.23	10.70	22.46	21.40
	1 - 1/2	13.02	12.41	26.04	24.82
	1 - 3/4	14.66	13.97	29.32	27.94
	2	16.40	15.62	32.80	31.24
	2 - 1/2	19.88	18.95	39.76	37.90
	3	23.40	22.30	46.80	44.60
	3 - 1/2	26.87	25.60	53.74	51.20
	4	30.34	28.90	60.68	57.80
	5	37.24	35.47	74.48	70.94
	6	44.23	42.13	88.46	84.26
	8	59.03	56.22	118.06	112.44
3/64"	1/2	6.13	5.84	12.26	11.68
	5/8	7.26	6.92	14.52	13.84
	3/4	7.93	7.56	15.86	15.12
	1	9.67	9.22	19.34	18.44
	1 - 1/4	11.39	10.85	22.78	21.70
	1 - 1/2	13.14	12.52	26.28	25.04
	1 - 3/4	15.25	14.53	30.50	29.06
	2	16.67	15.88	33.34	31.76
	2 - 1/2	20.06	19.12	40.12	38.24
	3	23.58	22.46	47.16	44.92
	3 - 1/2	27.02	25.74	54.04	51.48
	4	30.50	29.05	61.00	58.10
	5	38.86	37.01	77.72	74.02
	6	44.40	42.29	88.80	84.58
8	68.09	64.85	136.18	129.70	
1/16"	1/4	7.70	7.34	15.40	14.68
	5/16	8.72	8.32	17.44	16.64
	3/8	6.44	6.14	12.88	12.28
	1/2	4.14	3.95	8.28	7.90
	5/8	4.84	4.61	9.68	9.22
	3/4	5.57	5.30	11.14	10.60
	7/8	5.98	5.70	11.96	11.40
	1	6.37	6.07	12.74	12.14
	1 - 1/4	7.44	7.09	14.88	14.18
	1 - 1/2	8.58	8.17	17.16	16.34
	1 - 3/4	9.68	9.23	19.36	18.46

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/16"	2	10.79	10.28	21.58	20.56
	2 - 1/2	13.06	12.44	26.12	24.88
	3	13.84	13.19	27.68	26.38
	3 - 1/2	16.80	16.01	33.60	32.02
	4	19.81	18.88	39.62	37.76
	5	28.56	27.20	57.12	54.40
3/32"	6	41.83	39.84	83.66	79.68
	1/4	17.57	16.74	35.14	33.48
	5/16	15.12	14.40	30.24	28.80
	3/8	9.64	9.18	19.28	18.36
	1/2	5.45	5.20	10.90	10.40
	5/8	6.13	5.84	12.26	11.68
	3/4	6.84	6.52	13.68	13.04
	7/8	7.56	7.20	15.12	14.40
1/8"	1	8.26	7.87	16.52	15.74
	1 - 1/4	9.55	9.11	19.10	18.22
	1 - 1/2	10.97	10.45	21.94	20.90
	1 - 3/4	12.41	11.82	24.82	23.64
	2	13.75	13.10	27.50	26.20
	2 - 1/2	16.58	15.80	33.16	31.60
	3	19.42	18.49	38.84	36.98
	3 - 1/2	21.85	20.82	43.70	41.64
	4	24.98	23.80	49.96	47.60
	5	34.16	32.54	68.32	65.08
1/8"	6	39.32	37.45	78.64	74.90
	1/4	9.15	8.73	18.30	17.46
	5/16	10.24	9.80	20.48	19.60
	3/8	7.69	7.34	15.38	14.68
	1/2	4.80	4.58	9.60	9.16
	5/8	5.61	5.35	11.22	10.70
	3/4	5.91	5.64	11.82	11.28
	7/8	6.46	6.16	12.92	12.32
	1	6.98	6.66	13.96	13.32
	1 - 1/4	8.03	7.65	16.06	15.30
	1 - 1/2	9.13	8.71	18.26	17.42
	1 - 3/4	10.59	10.10	21.18	20.20
	2	11.37	10.83	22.74	21.66
	2 - 1/2	13.54	12.89	27.08	25.78
3	15.73	14.98	31.46	29.96	
3 - 1/2	18.29	17.42	36.58	34.84	

Quotations will be promptly supplied on any size or quantity.

## AISI A-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .95-1.05 %      Molybdenum .90-1.40 %  
Manganese .40-1.00 %      Chromium 4.75-5.50 %

Phosphorus .030 %      Sulfur .030 %  
Vanadium .15-.50 %      Silicon .10-.50 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/8"	4	20.13	19.17	40.26	38.34
	5	24.50	23.33	49.00	46.66
	6	28.87	27.50	57.74	55.00
	7	37.41	35.64	74.82	71.28
	8	42.37	40.35	84.74	80.70
	10	52.22	49.74	104.44	99.48
	12	62.10	59.14	124.20	118.28
5/32"	1/4	16.10	15.35	32.20	30.70
	5/16	14.25	13.57	28.50	27.14
	3/8	9.34	8.90	18.68	17.80
	1/2	5.97	5.70	11.94	11.40
	5/8	6.67	6.36	13.34	12.72
	3/4	7.35	7.01	14.70	14.02
	1	8.73	8.33	17.46	16.66
	1 - 1/4	10.02	9.55	20.04	19.10
	1 - 1/2	11.37	10.84	22.74	21.68
	1 - 3/4	12.78	12.18	25.56	24.36
	2	14.14	13.46	28.28	26.92
	2 - 1/2	16.90	16.09	33.80	32.18
	3	19.65	18.71	39.30	37.42
	3 - 1/2	22.32	21.26	44.64	42.52
	4	25.16	23.97	50.32	47.94
	5	30.68	29.23	61.36	58.46
	6	36.15	34.43	72.30	68.86
	7	48.22	45.94	96.44	91.88
	8	60.98	58.08	121.96	116.16
	3/16"	3/16	11.00	10.48	22.00
1/4		12.30	11.72	24.60	23.44
5/16		10.84	10.33	21.68	20.66
3/8		9.39	8.95	18.78	17.90
1/2		6.48	6.17	12.96	12.34
5/8		7.18	6.84	14.36	13.68
3/4		7.89	7.51	15.78	15.02
7/8		8.58	8.17	17.16	16.34
1		9.27	8.83	18.54	17.66
1 - 1/4		10.57	10.08	21.14	20.16
1 - 1/2		11.97	11.41	23.94	22.82
1 - 3/4		13.66	13.01	27.32	26.03

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/16"	2	14.82	14.11	29.64	28.22
	2 - 1/2	17.58	16.74	35.16	33.48
	3	20.42	19.45	40.84	38.90
	3 - 1/2	23.57	22.45	47.14	44.90
	4	26.02	24.78	52.04	49.56
	5	31.63	30.13	63.26	60.26
	6	37.25	35.48	74.50	70.96
	7	49.13	46.79	98.26	93.58
	8	55.33	52.70	110.66	105.40
	10	68.15	64.90	136.30	129.80
	12	97.27	92.64	194.54	185.28
	1/4"	1/4	10.63	10.12	21.26
5/16		13.30	12.67	26.60	25.34
3/8		11.70	11.15	23.40	22.30
1/2		7.83	7.47	15.66	14.94
5/8		8.65	8.24	17.30	16.48
3/4		9.47	9.02	18.94	18.04
7/8		10.29	9.80	20.58	19.60
1		11.11	10.58	22.22	21.16
1 - 1/4		12.61	12.01	25.22	24.02
1 - 1/2		14.03	13.37	28.06	26.74
1 - 3/4		16.18	15.41	32.36	30.82
2		17.56	16.72	35.12	33.44
2 - 1/2		20.83	19.84	41.66	39.68
3		24.19	23.05	48.38	46.10
3 - 1/2		27.73	26.41	55.46	52.82
4		30.67	29.22	61.34	58.44
5		37.27	35.50	74.54	71.00
6		43.85	41.77	87.70	83.54
7	57.38	54.65	114.76	109.30	
8	64.94	61.85	129.88	123.70	
10	79.88	76.09	159.76	152.18	
12	94.89	90.38	189.78	180.76	
5/16"	5/16	12.03	11.46	24.06	22.92
	3/8	13.73	13.08	27.46	26.16
	1/2	9.17	8.75	18.34	17.50
	5/8	10.10	9.63	20.20	19.26
	3/4	11.03	10.52	22.06	21.04
7/8	11.98	11.42	23.96	22.84	

Quotations will be promptly supplied on any size or quantity.

## AISI A-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .95-1.05 %  
Manganese .40-1.00 %

Molybdenum .90-1.40 %  
Chromium 4.75-5.50 %

Phosphorus .030 %  
Vanadium .15-.50 %

Sulfur .030 %  
Silicon .10-.50 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/16"	1	12.90	12.30	25.80	24.60
	1 - 1/4	14.62	13.93	29.24	27.86
	1 - 1/2	16.51	15.73	33.02	31.46
	1 - 3/4	18.59	17.71	37.18	35.42
	2	20.25	19.29	40.50	38.58
	2 - 1/2	23.99	22.86	47.98	45.72
	3	27.74	26.42	55.48	52.84
	3 - 1/2	31.77	30.26	63.54	60.52
	4	35.39	33.70	70.78	67.40
	4 1/2	38.97	37.13	77.94	74.26
	5	42.71	40.69	85.42	81.38
	5 - 1/2	46.48	44.26	92.96	88.52
6	50.22	47.83	100.44	95.66	
8	74.15	70.62	148.30	141.24	
10	91.19	86.86	182.38	173.72	
12	108.27	103.13	216.54	206.26	
3/8"	3/8	14.50	13.82	29.00	27.64
	1/2	11.22	10.69	22.44	21.38
	5/8	12.33	11.75	24.66	23.50
	3/4	13.46	12.83	26.92	25.66
	7/8	14.61	13.92	29.22	27.84
	1	15.74	14.99	31.48	29.98
	1 - 1/4	17.77	16.93	35.54	33.86
	1 - 1/2	20.05	19.11	40.10	38.22
	1 - 3/4	22.64	21.56	45.28	43.12
	2	24.63	23.46	49.26	46.92
	2 - 1/2	29.14	27.75	58.28	55.50
	3	33.68	32.09	67.36	64.18
3 - 1/2	38.58	36.74	77.16	73.48	
4	42.77	40.73	85.54	81.46	
4 - 1/2	47.31	45.07	94.62	90.14	
5	51.84	49.38	103.68	98.76	
6	60.95	58.06	121.90	116.12	
7	79.52	75.74	159.04	151.48	
8	87.56	83.39	175.12	166.78	
10	110.53	105.27	221.06	210.54	
12	131.22	124.97	262.44	249.94	
7/16"	1/2	13.54	12.90	27.08	25.80
	5/8	16.90	16.09	33.80	32.18
	3/4	18.14	17.28	36.28	34.56

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
7/16"	7/8	19.68	18.74	39.36	37.48
	1	21.16	20.16	42.32	40.32
	1 - 1/4	23.66	22.54	47.32	45.08
	1 - 1/2	26.99	25.72	53.98	51.44
	1 - 3/4	29.99	28.57	59.98	57.14
	2	32.97	31.41	65.94	62.82
	2 - 1/2	38.98	37.14	77.96	74.28
	3	44.99	42.86	89.98	85.72
	3 - 1/2	51.35	48.91	102.70	97.82
	4	56.98	54.27	113.96	108.54
	4 - 1/2	63.16	60.16	126.32	120.32
	5	69.38	66.08	138.76	132.16
5 - 1/2	77.67	73.98	155.34	147.96	
6	81.33	77.46	162.66	154.92	
1/2"	1/2	14.76	14.07	29.52	28.14
	5/8	16.43	15.65	32.86	31.30
	3/4	17.63	16.80	35.26	33.60
	7/8	19.13	18.23	38.26	36.46
	1	20.59	19.61	41.18	39.22
	1 - 1/4	23.01	21.92	46.02	43.84
	1 - 1/2	26.26	25.01	52.52	50.02
	1 - 3/4	29.18	27.80	58.36	55.60
	2	32.05	30.54	64.10	61.08
	2 - 1/2	37.92	36.11	75.84	72.22
	3	43.75	41.67	87.50	83.34
	3 - 1/2	49.94	47.56	99.88	95.12
4	55.42	52.79	110.84	105.58	
4 - 1/2	61.41	58.50	122.82	117.00	
5	67.47	64.26	134.94	128.52	
5 - 1/2	75.54	71.94	151.08	143.88	
6	79.10	75.34	158.20	150.68	
7	103.09	98.19	206.18	196.38	
8	116.50	110.96	233.00	221.92	
10	140.68	133.98	281.36	267.96	
12	164.85	157.00	329.70	314.00	
9/16"	3/4	26.71	25.44	53.42	50.88
	7/8	28.85	27.49	57.70	54.98
	1	30.89	29.43	61.78	58.86
	1 - 1/4	34.83	33.18	69.66	66.36
1 - 1/2	39.02	37.17	78.04	74.34	

Quotations will be promptly supplied on any size or quantity.

## AISI A-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .95-1.05 %      Molybdenum .90-1.40 %  
Manganese .40-1.00 %      Chromium 4.75-5.50 %

Phosphorus .030 %      Sulfur .030 %  
Vanadium .15-.50 %      Silicon .10-.50 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
9/16"	2	47.40	45.14	94.80	90.28
	2 - 1/2	55.75	53.10	111.50	106.20
	3	64.14	61.09	128.28	122.18
	3 - 1/2	72.55	69.09	145.10	138.18
	4	80.96	77.11	161.92	154.22
	4 - 1/2	89.54	85.28	179.08	170.56
	5	98.15	93.49	196.30	186.98
	5 - 1/2	106.55	101.48	213.10	202.96
	6	114.91	109.44	229.82	218.88
	7	138.69	132.09	277.38	264.18
5/8"	5/8	24.41	23.25	48.82	46.50
	3/4	26.47	25.21	52.94	50.42
	7/8	28.59	27.24	57.18	54.48
	1	30.61	29.16	61.22	58.32
	1 - 1/4	34.52	32.88	69.04	65.76
	1 - 1/2	38.67	36.83	77.34	73.66
	1 - 3/4	42.83	40.80	85.66	81.60
	2	46.97	44.74	93.94	89.48
	2 - 1/2	55.25	52.62	110.50	105.24
	3	63.57	60.54	127.14	121.08
3/4"	3/4	30.50	29.05	61.00	58.10
	7/8	29.80	28.38	59.60	56.76
	1	34.06	32.44	68.12	64.88
	1 - 1/4	39.48	37.61	78.96	75.22
	1 - 1/2	44.09	42.00	88.18	84.00
	1 - 3/4	48.80	46.48	97.60	92.96

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/4"	2	53.46	50.92	106.92	101.84
	2 - 1/2	62.78	59.80	125.56	119.60
	3	71.67	68.26	143.34	136.52
	3 - 1/2	81.39	77.52	162.78	155.04
	4	90.70	86.38	181.40	172.76
	4 - 1/2	100.25	95.48	200.50	190.96
	5	109.78	104.56	219.56	209.12
	5 - 1/2	119.09	113.42	238.18	226.84
	6	128.38	122.28	256.76	244.56
	7	154.86	147.49	309.72	294.98
	8	181.28	172.66	362.56	345.32
	10	219.31	208.87	438.62	417.74
7/8"	7/8	38.20	36.39	76.40	72.78
	1	40.92	38.97	81.84	77.94
	1 - 1/4	45.80	43.63	91.60	87.26
	1 - 1/2	51.16	48.73	102.32	97.46
	2	61.81	58.87	123.62	117.74
	2 - 1/2	72.48	69.04	144.96	138.08
	3	83.18	79.22	166.36	158.44
	3 - 1/2	93.85	89.39	187.70	178.78
	4	104.52	99.55	209.04	199.10
	4 - 1/2	130.34	124.14	260.68	248.28
	5	135.53	129.09	271.06	258.18
	5 - 1/2	143.03	136.22	286.06	272.44
1"	6	147.66	140.64	295.32	281.28
	7	172.29	164.10	344.58	328.20
	8	196.90	187.53	393.80	375.06
	10	246.11	234.40	492.22	468.80
	12	295.39	281.34	590.78	562.68
	1	44.84	42.70	89.68	85.40
	1 - 1/4	50.15	47.76	100.30	95.52
	1 - 1/2	55.87	53.22	111.74	106.44
	1 - 3/4	61.64	58.72	123.28	117.44
	2	67.42	64.22	134.84	128.44
	2 - 1/2	78.91	75.16	157.82	150.32
	3	90.44	86.14	180.88	172.28
3 - 1/2	101.98	97.13	203.96	194.26	

## AISI A-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .95-1.05 %      Molybdenum .90-1.40 %      Phosphorus .030 %      Sulfur .030 %  
Manganese .40-1.00 %      Chromium 4.75-5.50 %      Vanadium .15-.50 %      Silicon .10-.50 %

Size		Less than	\$2,000	Less than	\$2,000
		\$2,000	or	\$2,000	or
		18"	More	36"	More
			18"		36"
1"	4	113.50	108.10	227.00	216.20
	4 - 1/2	125.26	119.30	250.52	238.60
	5	137.04	130.52	274.08	261.04
	5 - 1/2	148.54	141.47	297.08	282.94
	6	160.06	152.45	320.12	304.90
	7	192.83	183.66	385.66	367.32
	8	225.60	214.86	451.20	429.72
	10	337.47	321.41	674.94	642.82
	12	432.00	411.43	864.00	822.86
1-1/4"	1 - 1/4	66.70	63.54	133.40	127.08
	1 - 1/2	74.95	71.39	149.90	142.78
	1 - 3/4	83.23	79.27	166.46	158.54
	2	91.51	87.15	183.02	174.30
	2 - 1/2	111.98	106.66	223.96	213.32
	3	132.30	126.01	264.60	252.02
	3 - 1/2	149.39	142.29	298.78	284.58
	4	166.46	158.54	332.92	317.08
	4 - 1/2	186.73	177.84	373.46	355.68
	5	206.98	197.12	413.96	394.24
	5 - 1/2	227.23	216.41	454.46	432.82
	6	247.51	235.73	495.02	471.46
	7	288.76	275.01	577.52	550.02
	8	329.98	314.27	659.96	628.54
10	412.47	392.83	824.94	785.66	
12	494.98	471.42	989.96	942.84	
1-1/2"	1 - 1/2	93.38	88.94	186.76	177.88
	1 - 3/4	96.37	91.78	192.74	183.56
	2	110.17	104.93	220.34	209.86
	2 - 1/2	134.17	127.79	268.34	255.58
	3	158.17	150.65	316.34	301.30
	4	198.96	189.49	397.92	378.98
	6	289.97	276.17	579.94	552.34
2"	2	146.26	139.29	292.52	278.58
	3	202.21	192.59	404.42	385.18
	4	265.57	252.93	531.14	505.86
	6	390.96	372.35	781.92	744.70

Quotations will be promptly supplied on any size or quantity.

## AISI 1018 LOW CARBON GROUND STOCK NET PRICES 24"

**TOLERANCES:** PRECISION LOW CARBON is ground to plus or minus .001" on thickness, including 1-1/4".  
Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side.

**ANALYSIS:** Carbon .14-.20 %      Phosphorus .030 %      Manganese .60-.90 %      Sulfur .035 %

Size		Less than \$2,000 24"	\$2,000 or More 24"
1/16"	1/2	3.88	3.69
	3/4	4.85	4.62
	1	5.83	5.55
	1 - 1/4	6.72	6.41
	1 - 1/2	7.68	7.33
	1 - 3/4	8.71	8.29
	2	9.69	9.23
	2 - 1/2	11.53	10.99
	3	13.50	12.87
	3 - 1/2	15.47	14.73
	4	17.39	16.56
	5	21.25	20.24
	6	25.02	23.84
	8	32.74	31.19
10	40.49	38.57	
12	48.33	46.03	
3/32"	1/2	4.74	4.52
	3/4	5.82	5.54
	1	6.81	6.49
	1 - 1/4	7.68	7.33
	1 - 1/2	8.76	8.35
	1 - 3/4	9.82	9.36
	2	10.90	10.38
	2 - 1/2	12.91	12.31
	3	15.00	14.28
	3 - 1/2	17.08	16.27
	4	19.12	18.22
	5	23.24	22.14
	6	27.37	26.07
	8	35.64	33.95
10	43.91	41.83	
12	52.36	49.88	
1/8"	1/2	5.08	4.84
	3/4	6.06	5.77
	1	7.07	6.74
	1 - 1/4	7.88	7.51
	1 - 1/2	9.68	9.22
	1 - 3/4	10.33	9.84

Size		Less than \$2,000 24"	\$2,000 or More 24"	
1/8"	2	10.88	10.36	
	2 - 1/2	12.89	12.28	
	3	14.93	14.23	
	3 - 1/2	16.92	16.11	
	4	18.91	18.01	
	5	22.89	21.80	
	6	26.86	25.59	
	8	34.83	33.18	
	10	42.88	40.85	
	12	51.00	48.58	
	5/32"	1/2	6.64	6.33
		3/4	7.73	7.36
1		8.82	8.41	
1 - 1/4		8.98	8.56	
1 - 1/2		10.09	9.61	
1 - 3/4		11.16	10.63	
2		12.25	11.67	
2 - 1/2		14.40	13.72	
3		16.58	15.80	
3 - 1/2		18.77	17.88	
4		20.91	19.92	
5		25.27	24.07	
6	29.51	28.11		
8	38.20	36.39		
10	46.87	44.64		
12	55.87	53.21		
3/16"	1/2	9.05	8.63	
	3/4	10.42	9.92	
	1	11.74	11.19	
	1 - 1/4	13.11	12.49	
	1 - 1/2	14.39	13.71	
	1 - 3/4	15.78	15.03	
	2	17.16	16.34	
	2 - 1/2	19.73	18.80	
3	22.54	21.47		
3 - 1/2	25.28	24.08		

Quotations will be promptly supplied on any size or quantity.

## AISI 1018 LOW CARBON GROUND STOCK NET PRICES 24"

**TOLERANCES:** PRECISION LOW CARBON is ground to plus or minus .001" on thickness, including 1-1/4".  
Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side.

**ANALYSIS:** Carbon .14-.20 %      Phosphorus .030 %      Manganese .60-.90 %      Sulfur .035 %

Size		Less than \$2,000 24"	\$2,000 or More 24"
3/16"	4	27.97	26.65
	5	34.97	33.32
	6	40.72	38.79
	8	50.91	48.50
	10	63.42	60.41
	12	74.30	70.77
1/4"	1/4	7.26	6.92
	1/2	8.88	8.46
	3/4	10.03	9.56
	1	12.12	11.55
	1 - 1/4	13.70	13.05
	1 - 1/2	15.17	14.45
	1 - 3/4	16.58	15.80
	2	17.97	17.13
	2 - 1/2	20.67	19.69
	3	23.43	22.32
	3 - 1/2	26.02	24.78
	4	28.81	27.45
	4 - 1/2	32.36	30.82
	5	35.92	34.21
	6	41.46	39.49
	8	51.28	48.84
	10	64.65	61.58
	12	75.42	71.83
5/16"	5/16	9.15	8.72
	1/2	10.44	9.94
	3/4	11.73	11.18
	1	14.21	13.54
	1 - 1/4	15.63	14.89
	1 - 1/2	17.36	16.53
	1 - 3/4	19.11	18.21
	2	20.86	19.87
	2 - 1/2	24.17	23.02
	3	27.38	26.08
	3 - 1/2	30.62	29.17
	4	33.70	32.11
	5	41.93	39.94
	6	48.19	45.90

Size		Less than \$2,000 24"	\$2,000 or More 24"
5/16"	7	54.66	52.06
	8	60.82	57.93
	9	68.87	65.59
	10	74.51	70.97
	12	85.97	81.87
	3/8"	3/8	11.26
1/2		12.22	11.65
3/4		13.71	13.06
1		16.17	15.40
1 - 1/4		17.96	17.12
1 - 1/2		19.92	18.98
1 - 3/4		21.85	20.81
2		23.80	22.67
2 - 1/2		27.76	26.44
3		31.02	29.55
3 - 1/2		34.91	33.25
4		37.90	36.09
4 - 1/2		42.41	40.39
5		46.93	44.69
6		53.60	51.05
7		60.23	57.37
8		69.70	66.39
9		76.26	72.63
10	82.98	79.04	
12	96.15	91.58	
7/16"	7/16	14.84	14.14
1/2"	1/2	15.15	14.43
	3/4	16.82	16.03
	1	19.48	18.56
	1 - 1/4	21.64	20.61
	1 - 1/2	23.86	22.73
	1 - 3/4	26.02	24.78
	2	28.19	26.85
	2 - 1/2	32.49	30.95
	3	36.83	35.08
	3 - 1/2	41.20	39.24

Quotations will be promptly supplied on any size or quantity.

## AISI 1018 LOW CARBON GROUND STOCK NET PRICES 24"

**TOLERANCES:** PRECISION LOW CARBON is ground to plus or minus .001" on thickness, including 1-1/4".  
Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side.

**ANALYSIS:** Carbon .14-.20 %      Phosphorus .030 %      Manganese .60-.90 %      Sulfur .035 %

Size		Less than \$2,000 24"	\$2,000 or More 24"	
1/2"	4	45.52	43.35	
	4 - 1/2	53.45	50.91	
	5	54.22	51.65	
	6	62.89	59.90	
	7	71.57	68.17	
	8	80.25	76.43	
	9	87.57	83.40	
	10	94.91	90.40	
	12	109.51	104.29	
	14	140.47	133.78	
	9/16"	9/16	19.43	18.50
	5/8"	5/8	18.10	17.24
		3/4	19.29	18.38
		1	22.14	21.10
1 - 1/4		25.14	23.95	
1 - 1/2		27.46	26.16	
1 - 3/4		29.84	28.42	
2		32.23	30.70	
2 - 1/2		36.93	35.18	
3		41.72	39.74	
3 - 1/2		46.52	44.31	
4		51.33	48.88	
4 - 1/2		57.02	54.32	
5		60.80	57.90	
6		70.33	66.99	
7	79.84	76.04		
8	89.32	85.07		
10	105.60	100.57		
12	121.89	116.09		
14	157.17	149.69		
3/4"	3/4	23.02	21.93	
	1	26.08	24.85	
	1 - 1/4	28.57	27.21	
	1 - 1/2	31.22	29.73	
	1 - 3/4	33.84	32.23	
	2	36.42	34.69	
	2 - 1/2	41.62	39.64	
	3	46.84	44.62	
	3 - 1/2	52.06	49.59	

Size		Less than \$2,000 24"	\$2,000 or More 24"	
3/4"	4	57.27	54.55	
	4 - 1/2	65.18	62.07	
	5	67.61	64.39	
	6	78.12	74.40	
	7	88.50	84.28	
	8	98.89	94.18	
	9	107.93	102.80	
	10	117.00	111.43	
	12	135.11	128.69	
	14	185.13	176.32	
	7/8"	7/8	28.03	26.70
		1	29.93	28.51
		1 - 1/4	32.68	31.13
		1 - 1/2	35.53	33.85
2		41.29	39.34	
2 - 1/2		46.96	44.73	
3		52.72	50.22	
3 - 1/2		58.49	55.70	
4		64.23	61.17	
5		81.15	77.29	
6		87.15	83.01	
7		107.66	102.53	
8		121.11	115.35	
9		136.30	129.81	
10	151.44	144.23		
12	181.71	173.06		
1"	1	32.70	31.15	
	1 - 1/4	35.67	33.98	
	1 - 1/2	38.71	36.87	
	1 - 3/4	41.78	39.80	
	2	44.81	42.68	
	2 - 1/2	50.90	48.48	
	3	57.04	54.33	
	3 - 1/2	63.17	60.17	
	4	69.22	65.93	
	5	81.54	77.66	
6	93.65	89.20		

Quotations will be promptly supplied on any size or quantity.

## AISI 1018 LOW CARBON GROUND STOCK NET PRICES 24"

**TOLERANCES:** PRECISION LOW CARBON is ground to plus or minus .001" on thickness, including 1-1/4".  
Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side.

**ANALYSIS:** Carbon .14-.20 %      Phosphorus .030 %      Manganese .60-.90 %      Sulfur .035 %

Size		Less than \$2,000 24"	\$2,000 or More 24"
1"	7	105.84	100.80
	8	118.04	112.42
	9	128.88	122.75
	10	139.71	133.07
	12	161.43	153.75
1-1/4"	1 - 1/4	43.52	41.45
	1 - 1/2	47.10	44.87
	1 - 3/4	50.69	48.28
	2	54.21	51.63
	2 - 1/2	61.31	58.40
	3	68.46	65.21
	3 - 1/2	73.72	70.21
	4	77.18	73.50
	5	96.97	92.36
	6	111.22	105.93
	7	133.11	126.78
	8	139.72	133.08
10	165.47	157.60	
12	191.21	182.12	
1-3/8"	1 - 3/8	52.76	50.25
1-1/2"	1 - 1/2	55.47	52.83
	1 - 3/4	59.52	56.69
	2	63.59	60.57
	2 - 1/2	71.67	68.26
	3	79.82	76.02
	3 - 1/2	87.92	83.74
	4	95.95	91.39
	5	112.19	106.85
	6	128.41	122.31
	8	160.89	153.23
10	190.59	181.51	
2"	2	80.83	76.99
2-1/4"	2 - 1/4	105.55	100.53
2-1/2"	2 - 1/2	116.30	110.77

Quotations will be promptly supplied on any size or quantity.

## AISI D-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR D-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon 1.40-1.60 % Manganese .10-.60 % Molybdenum .70-1.20 % Chromium 11.00-13.00 % Phosphorus .030 % Vanadium .50-1.10 % Sulfur .030 % Silicon .10-.60% Cobalt 1.00 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/32"	1/2	10.04	9.57	20.08	19.14
	3/4	13.57	12.94	27.14	25.88
	1	15.81	15.06	31.62	30.12
	1 - 1/4	18.71	17.82	37.42	35.64
	1 - 1/2	21.66	20.64	43.32	41.28
	1 - 3/4	24.44	23.29	48.88	46.58
	2	27.32	26.03	54.64	52.06
	2 - 1/2	33.09	31.52	66.18	63.04
	3	38.96	37.11	77.92	74.22
	3 - 1/2	44.73	42.60	89.46	85.20
	4	50.51	48.11	101.02	96.22
	5	62.01	59.06	124.02	118.12
	6	73.61	70.11	147.22	140.22
	8	98.26	93.59	196.52	187.18
3/64"	1/2	10.23	9.75	20.46	19.50
	5/8	12.07	11.50	24.14	23.00
	3/4	13.21	12.58	26.42	25.16
	1	16.12	15.36	32.24	30.72
	1 - 1/4	18.96	18.06	37.92	36.12
	1 - 1/2	21.88	20.85	43.76	41.70
	1 - 3/4	25.41	24.20	50.82	48.40
	2	27.76	26.44	55.52	52.88
	2 - 1/2	33.39	31.80	66.78	63.60
	3	39.28	37.41	78.56	74.82
	3 - 1/2	45.00	42.87	90.00	85.74
	4	50.79	48.38	101.58	96.76
	5	64.68	61.60	129.36	123.20
	6	73.92	70.40	147.84	140.80
8	113.34	107.95	226.68	215.90	
1/16"	1/4	11.01	10.49	22.02	20.98
	5/16	12.47	11.88	24.94	23.76
	3/8	9.20	8.77	18.40	17.54
	1/2	5.92	5.64	11.84	11.28
	5/8	6.94	6.61	13.88	13.22
	3/4	7.94	7.57	15.88	15.14
	7/8	8.56	8.15	17.12	16.30
	1	9.11	8.68	18.22	17.36
	1 - 1/4	10.65	10.14	21.30	20.28
	1 - 1/2	12.25	11.67	24.50	23.34
	1 - 3/4	13.84	13.19	27.68	26.38

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/16"	2	15.42	14.70	30.84	29.40
	2 - 1/2	18.69	17.81	37.38	35.62
	3	19.77	18.83	39.54	37.66
	3 - 1/2	24.06	22.91	48.12	45.82
	4	28.28	26.94	56.56	53.88
	5	40.80	38.86	81.60	77.72
3/32"	6	59.76	56.93	119.52	113.86
	1/4	25.09	23.90	50.18	47.80
	5/16	21.59	20.57	43.18	41.14
	3/8	13.77	13.12	27.54	26.24
	1/2	7.80	7.44	15.60	14.88
	5/8	8.78	8.36	17.56	16.72
	3/4	9.78	9.32	19.56	18.64
	7/8	10.77	10.26	21.54	20.52
	1	11.81	11.25	23.62	22.50
	1 - 1/4	13.70	13.05	27.40	26.10
	1 - 1/2	15.73	14.98	31.46	29.96
	1 - 3/4	17.72	16.89	35.44	33.78
	2	19.68	18.74	39.36	37.48
	2 - 1/2	23.72	22.59	47.44	45.18
3	27.72	26.40	55.44	52.80	
3 - 1/2	31.24	29.77	62.48	59.54	
4	35.70	34.00	71.40	68.00	
5	48.85	46.53	97.70	93.06	
6	56.17	53.49	112.34	106.98	
1/8"	1/4	14.29	13.62	28.58	27.24
	5/16	16.07	15.31	32.14	30.62
	3/8	12.06	11.48	24.12	22.96
	1/2	7.88	7.50	15.76	15.00
	5/8	8.79	8.37	17.58	16.74
	3/4	9.72	9.26	19.44	18.52
	7/8	10.59	10.10	21.18	20.20
	1	11.55	11.00	23.10	22.00
	1 - 1/4	13.20	12.57	26.40	25.14
	1 - 1/2	15.02	14.30	30.04	28.60
	1 - 3/4	16.84	16.05	33.68	32.10
	2	18.71	17.82	37.42	35.64
	2 - 1/2	22.39	21.33	44.78	42.66
	3	26.10	24.86	52.20	49.72
3 - 1/2	29.78	28.37	59.56	56.74	

Quotations will be promptly supplied on any size or quantity.

## AISI D-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR D-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon 1.40-1.60 % Molybdenum .70-1.20 % Phosphorus .030 % Sulfur .030 % Cobalt 1.00 %  
Manganese .10-.60 % Chromium 11.00-13.00 % Vanadium .50-1.10 % Silicon .10-.60%

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/8"	4	33.45	31.87	66.90	63.74
	4 - 1/2	37.11	35.35	74.22	70.70
	5	40.81	38.87	81.62	77.74
	5 - 1/2	44.50	42.38	89.00	84.76
	6	48.18	45.89	96.36	91.78
5/32"	1/4	26.03	24.79	52.06	49.58
	5/16	23.05	21.96	46.10	43.92
	3/8	15.11	14.40	30.22	28.80
	1/2	9.79	9.33	19.58	18.66
	5/8	10.99	10.47	21.98	20.94
	3/4	12.14	11.57	24.28	23.14
	7/8	13.30	12.67	26.60	25.34
	1	14.50	13.81	29.00	27.62
	1 - 1/4	16.67	15.87	33.34	31.74
	1 - 1/2	18.99	18.08	37.98	36.16
	1 - 3/4	21.33	20.32	42.66	40.64
	2	23.67	22.55	47.34	45.10
	2 - 1/2	28.33	26.98	56.66	53.96
	3	32.98	31.42	65.96	62.84
	3 - 1/2	37.68	35.88	75.36	71.76
	4	42.36	40.35	84.72	80.70
	4 - 1/2	47.04	44.80	94.08	89.60
	5	51.74	49.28	103.48	98.56
	5 - 1/2	56.39	53.70	112.78	107.40
6	61.06	58.16	122.12	116.32	
3/16"	3/16	17.81	16.96	35.62	33.92
	1/4	19.93	18.99	39.86	37.98
	5/16	17.58	16.74	35.16	33.48
	3/8	15.20	14.49	30.40	28.98
	1/2	10.52	10.02	21.04	20.04
	5/8	11.67	11.12	23.34	22.24
	3/4	12.86	12.25	25.72	24.50
	7/8	14.06	13.40	28.12	26.80
	1	15.21	14.50	30.42	29.00
	1 - 1/4	15.87	15.13	31.74	30.26
	1 - 1/2	19.71	18.78	39.42	37.56
	1 - 3/4	22.09	21.04	44.18	42.08

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/16"	2	24.43	23.28	48.86	46.56
	2 - 1/2	29.15	27.76	58.30	55.52
	3	33.85	32.24	67.70	64.48
	3 - 1/2	38.59	36.75	77.18	73.50
	4	43.33	41.27	86.66	82.54
	4 - 1/2	48.06	45.77	96.12	91.54
	5	52.76	50.25	105.52	100.50
	5 - 1/2	57.48	54.75	114.96	109.50
	6	62.18	59.22	124.36	118.44
1/4"	1/4	17.20	16.39	34.40	32.78
	5/16	21.55	20.53	43.10	41.06
	3/8	18.99	18.08	37.98	36.16
	1/2	12.18	11.61	24.36	23.22
	5/8	13.52	12.88	27.04	25.76
	3/4	14.84	14.14	29.68	28.28
	7/8	16.17	15.40	32.34	30.80
	1	17.47	16.64	34.94	33.28
	1 - 1/4	19.83	18.90	39.66	37.80
	1 - 1/2	22.50	21.43	45.00	42.86
	1 - 3/4	25.10	23.91	50.20	47.82
	2	27.72	26.40	55.44	52.80
	2 - 1/2	32.98	31.42	65.96	62.84
	3	38.24	36.42	76.48	72.84
3 - 1/2	43.51	41.44	87.02	82.88	
4	48.77	46.45	97.54	92.90	
4 - 1/2	54.01	51.45	108.02	102.90	
5/16"	5	59.21	56.40	118.42	112.80
	5 - 1/2	64.61	61.55	129.22	123.10
	6	70.02	66.68	140.04	133.36
	5/16	19.46	18.54	38.92	37.08
	3/8	22.22	21.16	44.44	42.32
	1/2	14.48	13.79	28.96	27.58
	5/8	16.01	15.25	32.02	30.50
	3/4	17.57	16.73	35.14	33.46
	7/8	19.13	18.23	38.26	36.46
	1	20.69	19.71	41.38	39.42
	1 - 1/4	23.45	22.34	46.90	44.68
	1 - 1/2	26.54	25.29	53.08	50.58
	1 - 3/4	29.65	28.24	59.30	56.48

Quotations will be promptly supplied on any size or quantity.

## AISI D-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR D-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon 1.40-1.60 %    Molybdenum .70-1.20 %    Phosphorus .030 %    Sulfur .030 %    Cobalt 1.00 %  
Manganese .10-.60 %    Chromium 11.00-13.00 %    Vanadium .50-1.10 %    Silicon .10-.60%

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/16"	2	32.69	31.14	65.38	62.28
	2 - 1/2	38.89	37.04	77.78	74.08
	3	45.07	42.92	90.14	85.84
	3 - 1/2	51.23	48.80	102.46	97.60
	4	57.40	54.67	114.80	109.34
	4 - 1/2	63.54	60.51	127.08	121.02
	5	69.69	66.37	139.38	132.74
	5 - 1/2	76.03	72.41	152.06	144.82
3/8"	6	82.31	78.40	164.62	156.80
	3/8	23.45	22.34	46.90	44.68
	1/2	17.63	16.80	35.26	33.60
	5/8	19.51	18.59	39.02	37.18
	3/4	21.36	20.35	42.72	40.70
	7/8	23.23	22.13	46.46	44.26
	1	25.10	23.91	50.20	47.82
	1 - 1/4	28.52	27.17	57.04	54.34
	1 - 1/2	32.22	30.69	64.44	61.38
	1 - 3/4	35.98	34.28	71.96	68.56
	2	39.74	37.85	79.48	75.70
	2 - 1/2	47.15	44.90	94.30	89.80
	3	54.67	52.07	109.34	104.14
	3 - 1/2	62.10	59.15	124.20	118.30
	4	69.58	66.26	139.16	132.52
	4 - 1/2	77.03	73.37	154.06	146.74
	5	84.48	80.47	168.96	160.94
	5 - 1/2	91.96	87.58	183.92	175.16
6	99.43	94.70	198.86	189.40	
1/2"	1/2	26.26	25.01	52.52	50.02
	5/8	25.50	24.29	51.00	48.58
	3/4	30.59	29.14	61.18	58.28
	7/8	33.20	31.63	66.40	63.26
	1	35.83	34.12	71.66	68.24
	1 - 1/4	40.83	38.90	81.66	77.80
	1 - 1/2	46.06	43.87	92.12	87.74
	1 - 3/4	51.25	48.82	102.50	97.64
	2	56.43	53.75	112.86	107.50
	2 - 1/2	67.01	63.82	134.02	127.64
	3	77.52	73.83	155.04	147.66
	3 - 1/2	87.98	83.80	175.96	167.60

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/2"	4	98.48	93.80	196.96	187.60
	4 - 1/2	109.13	103.94	218.26	207.88
	5	119.77	114.07	239.54	228.14
	5 - 1/2	130.34	124.14	260.68	248.28
	6	140.87	134.17	281.74	268.34
	7	164.38	156.56	328.76	313.12
	8	187.87	178.93	375.74	357.86
	5/8"	5/8	38.81	36.96	77.62
3/4		42.04	40.04	84.08	80.08
7/8		45.34	43.19	90.68	86.38
1		48.65	46.34	97.30	92.68
1 - 1/4		54.87	52.26	109.74	104.52
1 - 1/2		61.39	58.48	122.78	116.96
1 - 3/4		68.02	64.79	136.04	129.58
2		74.64	71.08	149.28	142.16
2 - 1/2		87.78	83.60	175.56	167.20
3		101.00	96.20	202.00	192.40
3 - 1/2		114.20	108.77	228.40	217.54
4		127.38	121.32	254.76	242.64
4 - 1/2		140.94	134.23	281.88	268.46
5		154.47	147.13	308.94	294.26
5 - 1/2		167.71	159.72	335.42	319.44
6	180.92	172.30	361.84	344.60	
7	218.35	207.96	436.70	415.92	
8	255.81	243.63	511.62	487.26	
3/4"	3/4	48.44	46.15	96.88	92.30
	7/8	47.32	45.08	94.64	90.16
	1	54.11	51.54	108.22	103.08
	1 - 1/4	62.69	59.71	125.38	119.42
	1 - 1/2	70.02	66.68	140.04	133.36
	1 - 3/4	77.48	73.80	154.96	147.60
	2	84.89	80.85	169.78	161.70
	2 - 1/2	99.69	94.95	199.38	189.90
	3	113.82	108.41	227.64	216.82
	3 - 1/2	129.23	123.08	258.46	246.16
4	143.14	136.33	286.28	272.66	
4 - 1/2	159.24	151.66	318.48	303.32	
5	174.35	166.06	348.70	332.12	
5 - 1/2	189.16	180.16	378.32	360.32	

Quotations will be promptly supplied on any size or quantity.

## AISI D-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR D-2 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon 1.40-1.60 %    Molybdenum .70-1.20 %    Phosphorus .030 %    Sulfur .030 %    Cobalt 1.00 %  
Manganese .10-.60 %    Chromium 11.00-13.00 %    Vanadium .50-1.10 %    Silicon .10-.60%

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/4"	6	203.97	194.26	407.94	388.52
	7	245.94	234.23	491.88	468.46
	8	287.96	274.25	575.92	548.50
1"	1	71.19	67.80	142.38	135.60
	1 - 1/4	79.63	75.85	159.26	151.70
	1 - 1/2	88.73	84.50	177.46	169.00
	1 - 3/4	97.86	93.20	195.72	186.40
	2	107.02	101.93	214.04	203.86
	2 - 1/2	125.37	119.41	250.74	238.82
	3	143.64	136.81	287.28	273.62
	3 - 1/2	162.00	154.29	324.00	308.58
	4	180.29	171.71	360.58	343.42
	4 - 1/2	198.97	189.50	397.94	379.00
	5	217.65	207.28	435.30	414.56
	5 - 1/2	235.93	224.70	471.86	449.40
	6	254.22	242.12	508.44	484.24
	7	306.27	291.70	612.54	583.40
	8	358.31	341.25	716.62	682.50
1-1/4"	1 - 1/4	85.54	81.47	171.08	162.94
	1 - 1/2	96.34	91.75	192.68	183.50
	1 - 3/4	107.10	102.00	214.20	204.00
	2	117.90	112.29	235.80	224.58
	2 - 1/2	144.98	138.08	289.96	276.16
	3	171.82	163.65	343.64	327.30
	3 - 1/2	195.54	186.23	391.08	372.46
	4	219.16	208.74	438.32	417.48
	4 - 1/2	244.95	233.29	489.90	466.58
	5	270.66	257.77	541.32	515.54
	5 - 1/2	298.63	284.42	597.26	568.84
	6	326.50	310.96	653.00	621.92
	7	387.70	369.24	775.40	738.48
	8	448.92	427.55	897.84	855.10
	1-1/2"	1 - 1/2	118.31	112.67	236.62
1 - 3/4		130.08	123.88	260.16	247.76
2		141.85	135.09	283.70	270.18
2 - 1/2		173.72	165.45	347.44	330.90
3		205.60	195.81	411.20	391.62
3 - 1/2	233.97	222.84	467.94	445.68	

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1-1/2"	4	262.13	249.66	524.26	499.32
	4 - 1/2	292.89	278.95	585.78	557.90
	5	324.12	308.68	648.24	617.36
	5 - 1/2	354.04	337.18	708.08	674.36
	6	384.75	366.43	769.50	732.86
	7	462.51	440.48	925.02	880.96
	8	538.87	513.22	1,077.74	1,026.44

Quotations will be promptly supplied on any size or quantity.

## AISI A-6 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-6 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .65-.75 % Molybdenum .90-1.40 % Phosphorus .030 % Silicon .50 %  
Manganese 1.80-2.50 % Chromium .90-1.20 % Sulfur .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/16"	1/4	15.56	14.82	31.12	29.64
	5/16	14.81	14.11	29.62	28.22
	3/8	12.57	11.97	25.14	23.94
	1/2	8.12	7.74	16.24	15.48
	5/8	8.23	7.84	16.46	15.68
	3/4	8.36	7.97	16.72	15.94
	7/8	9.21	8.77	18.42	17.54
	1	9.97	9.50	19.94	19.00
	1 - 1/4	11.74	11.19	23.48	22.38
	1 - 1/2	13.48	12.85	26.96	25.70
	1 - 3/4	15.24	14.51	30.48	29.02
	2	16.99	16.18	33.98	32.36
	2 - 1/2	20.98	19.99	41.96	39.98
	3	24.97	23.78	49.94	47.56
	3 - 1/2	29.84	28.43	59.68	56.86
	4	34.73	33.09	69.46	66.18
	5	49.75	47.38	99.50	94.76
	6	64.75	61.66	129.50	123.32
3/32"	1/4	32.21	30.68	64.42	61.36
	5/16	27.73	26.42	55.46	52.84
	3/8	17.65	16.81	35.30	33.62
	1/2	9.99	9.52	19.98	19.04
	5/8	10.89	10.37	21.78	20.74
	3/4	11.12	10.59	22.24	21.18
	7/8	12.25	11.67	24.50	23.34
	1	13.41	12.78	26.82	25.56
	1 - 1/4	15.56	14.82	31.12	29.64
	1 - 1/2	17.83	16.99	35.66	33.98
	1 - 3/4	20.13	19.17	40.26	38.34
	2	22.36	21.30	44.72	42.60
	2 - 1/2	26.93	25.66	53.86	51.32
	3	33.19	31.61	66.38	63.22
	3 - 1/2	37.38	35.60	74.76	71.20
	4	42.71	40.69	85.42	81.38
	5	58.41	55.64	116.82	111.28
	6	67.22	64.02	134.44	128.04
1/8"	1/4	20.63	19.65	41.26	39.30
	5/16	19.64	18.71	39.28	37.42
	3/8	15.62	14.88	31.24	29.76

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
1/8"	1/2	10.07	9.60	20.14	19.20	
	5/8	10.82	10.32	21.64	20.64	
	3/4	11.57	11.03	23.14	22.06	
	7/8	12.05	11.49	24.10	22.98	
	1	12.50	11.91	25.00	23.82	
	1 - 1/4	13.67	13.03	27.34	26.06	
	1 - 1/2	14.89	14.19	29.78	28.38	
	1 - 3/4	16.07	15.31	32.14	30.62	
	2	17.27	16.46	34.54	32.92	
	2 - 1/2	19.80	18.86	39.60	37.72	
	3	23.68	22.55	47.36	45.10	
	3 - 1/2	27.73	26.42	55.46	52.84	
3/16"	4	31.79	30.28	63.58	60.56	
	5	47.17	44.93	94.34	89.86	
	6	62.62	59.64	125.24	119.28	
	7	73.05	69.58	146.10	139.16	
	8	83.48	79.51	166.96	159.02	
	10	104.35	99.38	208.70	198.76	
	12	125.24	119.28	250.48	238.56	
	3/16"	3/16	23.75	22.62	47.50	45.24
	1/4	22.62	21.55	45.24	43.10	
	5/16	21.54	20.52	43.08	41.04	
	3/8	20.02	19.08	40.04	38.16	
	1/2	12.91	12.31	25.82	24.62	
5/8	13.70	13.05	27.40	26.10		
3/4	14.44	13.77	28.88	27.54		
7/8	14.90	14.20	29.80	28.40		
1	15.33	14.61	30.66	29.22		
1 - 1/4	17.27	16.46	34.54	32.92		
1 - 1/2	19.80	18.86	39.60	37.72		
1 - 3/4	21.77	20.73	43.54	41.46		
2	23.68	22.55	47.36	45.10		
2 - 1/2	27.49	26.19	54.98	52.38		
3	31.27	29.79	62.54	59.58		
3 - 1/2	36.56	34.82	73.12	69.64		
4	41.85	39.86	83.70	79.72		
5	56.27	53.59	112.54	107.18		
6	70.66	67.30	141.32	134.60		

Quotations will be promptly supplied on any size or quantity.

## AISI A-6 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-6 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .65-.75 % Molybdenum .90-1.40 % Phosphorus .030 % Silicon .50 %  
Manganese 1.80-2.50 % Chromium .90-1.20 % Sulfur .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/16"	7	82.48	78.56	164.96	157.12
	8	94.24	89.76	188.48	179.52
	10	117.79	112.19	235.58	224.38
	12	150.03	142.89	300.06	285.78
1/4"	1/4	30.95	29.47	61.90	58.94
	5/16	29.46	28.06	58.92	56.12
	3/8	28.06	26.73	56.12	53.46
	1/2	14.88	14.18	29.76	28.36
	5/8	15.89	15.15	31.78	30.30
	3/4	16.87	16.08	33.74	32.16
	7/8	17.85	17.01	35.70	34.02
	1	18.79	17.91	37.58	35.82
	1 - 1/4	21.80	20.77	43.60	41.54
	1 - 1/2	23.68	22.55	47.36	45.10
	1 - 3/4	26.09	24.85	52.18	49.70
	2	28.47	27.13	56.94	54.26
	2 - 1/2	34.72	33.07	69.44	66.14
	3	40.96	39.02	81.92	78.04
	3 - 1/2	48.16	45.87	96.32	91.74
	4	55.34	52.70	110.68	105.40
	5	70.25	66.92	140.50	133.84
	6	86.18	82.09	172.36	164.18
	7	98.00	93.35	196.00	186.70
	8	109.83	104.60	219.66	209.20
10	137.31	130.78	274.62	261.56	
12	164.77	156.93	329.54	313.86	
5/16"	5/16	22.76	21.68	45.52	43.36
	3/8	28.62	27.27	57.24	54.54
	1/2	19.76	18.83	39.52	37.66
	5/8	21.18	20.18	42.36	40.36
	3/4	21.85	20.82	43.70	41.64
	7/8	23.31	22.21	46.62	44.42
	1	24.08	22.94	48.16	45.88
	1 - 1/4	26.28	25.04	52.56	50.08
	1 - 1/2	28.47	27.13	56.94	54.26
	1 - 3/4	31.11	29.64	62.22	59.28
	2	33.72	32.12	67.44	64.24
	2 - 1/2	40.92	38.97	81.84	77.94
	3	48.14	45.85	96.28	91.70
	3 - 1/2	55.60	52.96	111.20	105.92

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
5/16"	4	63.04	60.04	126.08	120.08	
	4 - 1/2	72.89	69.43	145.78	138.86	
	5	82.72	78.79	165.44	157.58	
	5 - 1/2	89.04	84.81	178.08	169.62	
	6	95.35	90.82	190.70	181.64	
	8	127.11	121.06	254.22	242.12	
	10	158.91	151.34	317.82	302.68	
	12	190.67	181.60	381.34	363.20	
3/8"	3/8	25.75	24.53	51.50	49.06	
	1/2	24.50	23.33	49.00	46.66	
	5/8	25.51	24.30	51.02	48.60	
	3/4	26.97	25.69	53.94	51.38	
	7/8	27.50	26.20	55.00	52.40	
	1	28.47	27.13	56.94	54.26	
	1 - 1/4	30.31	28.91	60.62	57.82	
	1 - 1/2	32.20	30.67	64.40	61.34	
	1 - 3/4	35.11	33.44	70.22	66.88	
	2	38.02	36.21	76.04	72.42	
	2 - 1/2	46.71	44.49	93.42	88.98	
	3	55.34	52.70	110.68	105.40	
	3 - 1/2	63.01	60.02	126.02	120.04	
	4	70.66	67.30	141.32	134.60	
4 - 1/2	83.27	79.32	166.54	158.64		
1/2"	5	95.85	91.30	191.70	182.60	
	6	105.95	100.91	211.90	201.82	
	7	125.10	119.14	250.20	238.28	
	8	144.20	137.33	288.40	274.66	
	10	180.25	171.67	360.50	343.34	
	12	216.33	206.03	432.66	412.06	
	1/2"	1/2	37.63	35.85	75.26	71.70
		5/8	40.25	38.34	80.50	76.68
		3/4	42.84	40.80	85.68	81.60
		7/8	45.44	43.27	90.88	86.54
		1	48.02	45.75	96.04	91.50
		1 - 1/4	51.37	48.93	102.74	97.86
1 - 1/2		54.69	52.10	109.38	104.20	
1 - 3/4		56.49	53.81	112.98	107.62	

Quotations will be promptly supplied on any size or quantity.

## AISI A-6 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR A-6 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .65-.75 %      Molybdenum .90-1.40 %      Phosphorus .030 %      Silicon .50 %  
Manganese 1.80-2.50 %      Chromium .90-1.20 %      Sulfur .030 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/2"	2	58.26	55.49	116.52	110.98
	2 - 1/2	67.67	64.45	135.34	128.90
	3	77.05	73.38	154.10	146.76
	3 - 1/2	85.84	81.75	171.68	163.50
	4	94.63	90.14	189.26	180.28
	4 - 1/2	110.80	105.54	221.60	211.08
	5	126.95	120.91	253.90	241.82
	5 - 1/2	140.14	133.47	280.28	266.94
	6	153.32	146.03	306.64	292.06
	7	181.72	173.08	363.44	346.16
	8	210.12	200.11	420.24	400.22
	10	262.63	250.13	525.26	500.26
12	315.13	300.14	630.26	600.28	
5/8"	5/8	44.15	42.06	88.30	84.12
	3/4	52.97	50.45	105.94	100.90
	7/8	54.80	52.20	109.60	104.40
	1	56.67	53.98	113.34	107.96
	1 - 1/4	64.87	61.79	129.74	123.58
	1 - 1/2	73.08	69.61	146.16	139.22
	1 - 3/4	74.82	71.27	149.64	142.54
	2	76.56	72.91	153.12	145.82
	2 - 1/2	89.13	84.88	178.26	169.76
	3	101.64	96.81	203.28	193.62
	3 - 1/2	115.33	109.85	230.66	219.70
	4	129.01	122.87	258.02	245.74
	4 - 1/2	143.72	136.87	287.44	273.74
	5	158.38	150.85	316.76	301.70
	5 - 1/2	175.57	167.21	351.14	334.42
	6	192.73	183.55	385.46	367.10
	7	224.89	214.19	449.78	428.38
	8	257.03	244.79	514.06	489.58
10	321.28	305.98	642.56	611.96	
3/4"	3/4	50.20	47.82	100.40	95.64
	7/8	58.55	55.76	117.10	111.52
	1	66.68	63.50	133.36	127.00
	1 - 1/4	73.03	69.55	146.06	139.10
	1 - 1/2	79.40	75.62	158.80	151.24
1 - 3/4	85.68	81.60	171.36	163.20	

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/4"	2	91.93	87.56	183.86	175.12
	2 - 1/2	106.87	101.79	213.74	203.58
	3	121.80	116.00	243.60	232.00
	3 - 1/2	140.15	133.48	280.30	266.96
	4	158.50	150.96	317.00	301.92
	4 - 1/2	171.97	163.78	343.94	327.56
	5	185.43	176.61	370.86	353.22
	5 - 1/2	206.02	196.21	412.04	392.42
	6	226.60	215.81	453.20	431.62
	7	274.54	261.48	549.08	522.96
1"	8	322.47	307.12	644.94	614.24
	10	403.12	383.93	806.24	767.86
	1	58.33	55.56	116.66	111.12
	1 - 1/4	72.89	69.43	145.78	138.86
	1 - 1/2	85.23	81.18	170.46	162.36
	1 - 3/4	97.67	93.02	195.34	186.04
	2	110.09	104.86	220.18	209.72
	2 - 1/2	135.67	129.21	271.34	258.42
	3	161.24	153.57	322.48	307.14
	3 - 1/2	181.88	173.22	363.76	346.44
1"	4	202.49	192.86	404.98	385.72
	4 - 1/2	226.24	215.48	452.48	430.96
	5	249.96	238.06	499.92	476.12
	5 - 1/2	279.59	266.28	559.18	532.56
	6	309.22	294.50	618.44	589.00
	7	362.01	344.77	724.02	689.54
	8	414.79	395.05	829.58	790.10
	10	518.43	493.75	1,036.86	987.50

Quotations will be promptly supplied on any size or quantity.

## AISI S-7 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR S-7 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .45-.55 %      Molybdenum 1.30-1.80%      Phosphorus .030 %      Sulfur .030 %  
Manganese .20-.90 %      Chromium 3.00-3.50 %      Vanadium .35 %      Silicon .20-1.00 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/16"	1/4	10.71	10.21	21.42	20.42
	5/16	12.17	11.59	24.34	23.18
	3/8	8.97	8.55	17.94	17.10
	1/2	5.79	5.51	11.58	11.02
	5/8	6.74	6.42	13.48	12.84
	3/4	7.73	7.37	15.46	14.74
	7/8	8.34	7.94	16.68	15.88
	1	8.89	8.47	17.78	16.94
	1 - 1/4	10.37	9.89	20.74	19.78
	1 - 1/2	11.92	11.36	23.84	22.72
	1 - 3/4	13.49	12.85	26.98	25.70
	2	15.04	14.32	30.08	28.64
	2 - 1/2	18.17	17.31	36.34	34.62
	3	19.27	18.36	38.54	36.72
	3 - 1/2	23.41	22.30	46.82	44.60
	4	27.56	26.25	55.12	52.50
5	39.78	37.88	79.56	75.76	
6	58.22	55.45	116.44	110.90	
3/32"	1/4	24.46	23.31	48.92	46.62
	5/16	21.05	20.05	42.10	40.10
	3/8	13.41	12.77	26.82	25.54
	1/2	7.58	7.23	15.16	14.46
	5/8	8.56	8.15	17.12	16.30
	3/4	9.53	9.08	19.06	18.16
	7/8	10.49	10.00	20.98	20.00
	1	11.50	10.96	23.00	21.92
	1 - 1/4	13.32	12.69	26.64	25.38
	1 - 1/2	15.27	14.54	30.54	29.08
	1 - 3/4	17.24	16.42	34.48	32.84
	2	19.15	18.25	38.30	36.50
	2 - 1/2	23.08	21.99	46.16	43.98
	3	27.01	25.73	54.02	51.46
	3 - 1/2	30.43	28.99	60.86	57.98
	4	34.77	33.12	69.54	66.24
5	47.52	45.27	95.04	90.54	
6	54.69	52.10	109.38	104.20	
1/8"	1/4	13.87	13.21	27.74	26.42
	5/16	15.72	14.97	31.44	29.94
	3/8	11.70	11.15	23.40	22.30

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
1/8"	1/2	7.39	7.04	14.78	14.08	
	5/8	8.48	8.09	16.96	16.18	
	3/4	9.10	8.67	18.20	17.34	
	7/8	9.86	9.39	19.72	18.78	
	1	10.65	10.14	21.30	20.28	
	1 - 1/4	12.18	11.61	24.36	23.22	
	1 - 1/2	13.87	13.21	27.74	26.42	
	1 - 3/4	16.18	15.41	32.36	30.82	
	2	17.26	16.45	34.52	32.90	
	2 - 1/2	20.65	19.67	41.30	39.34	
	3	23.89	22.76	47.78	45.52	
	3 - 1/2	27.90	26.58	55.80	53.16	
5/32"	4	30.66	29.21	61.32	58.42	
	5	37.29	35.52	74.58	71.04	
	6	43.92	41.83	87.84	83.66	
	7	56.87	54.16	113.74	108.32	
	8	64.39	61.34	128.78	122.68	
	10	79.51	75.72	159.02	151.44	
	12	94.46	89.97	188.92	179.94	
	5/32"	1/4	25.42	24.21	50.84	48.42
		5/16	22.48	21.42	44.96	42.84
		3/8	14.78	14.08	29.56	28.16
		1/2	9.39	8.95	18.78	17.90
		5/8	10.46	9.97	20.92	19.94
3/4		11.56	11.01	23.12	22.02	
1		13.87	13.21	27.74	26.42	
1 - 1/4		15.87	15.13	31.74	30.26	
1 - 1/2		17.88	17.03	35.76	34.06	
1 - 3/4		20.20	19.24	40.40	38.48	
2		22.34	21.29	44.68	42.58	
2 - 1/2		26.66	25.40	53.32	50.80	
3	30.98	29.50	61.96	59.00		
3 - 1/2	35.13	33.46	70.26	66.92		
4	39.60	37.72	79.20	75.44		
5	48.38	46.08	96.76	92.16		
6	57.01	54.31	114.02	108.62		
7	75.97	72.36	151.94	144.72		
8	96.14	91.56	192.28	183.12		

## AISI S-7 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR S-7 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .45-.55 %      Molybdenum 1.30-1.80%      Phosphorus .030 %      Sulfur .030 %  
Manganese .20-.90 %      Chromium 3.00-3.50 %      Vanadium .35 %      Silicon .20-1.00 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/16"	3/16	17.41	16.59	34.82	33.18
	1/4	19.42	18.49	38.84	36.98
	5/16	17.12	16.30	34.24	32.60
	3/8	14.78	14.08	29.56	28.16
	1/2	10.16	9.68	20.32	19.36
	5/8	11.25	10.73	22.50	21.46
	3/4	12.49	11.89	24.98	23.78
	7/8	13.55	12.91	27.10	25.82
	1	14.64	13.95	29.28	27.90
	1 - 1/4	16.63	15.84	33.26	31.68
	1 - 1/2	18.79	17.90	37.58	35.80
	1 - 3/4	21.57	20.55	43.14	41.10
	2	23.27	22.17	46.54	44.34
	2 - 1/2	27.73	26.41	55.46	52.82
	3	32.22	30.69	64.44	61.38
	3 - 1/2	37.13	35.37	74.26	70.74
	4	40.99	39.04	81.98	78.08
	5	49.92	47.54	99.84	95.08
6	58.71	55.91	117.42	111.82	
7	77.34	73.67	154.68	147.34	
8	87.20	83.05	174.40	166.10	
10	107.39	102.29	214.78	204.58	
12	153.32	146.03	306.64	292.06	
1/4"	1/4	16.42	15.64	32.84	31.28
	5/16	20.60	19.62	41.20	39.24
	3/8	18.14	17.28	36.28	34.56
	1/2	12.10	11.53	24.20	23.06
	5/8	13.41	12.77	26.82	25.54
	3/4	14.69	13.99	29.38	27.98
	7/8	16.01	15.25	32.02	30.50
	1	17.15	16.34	34.30	32.68
	1 - 1/4	19.46	18.54	38.92	37.08
	1 - 1/2	21.62	20.59	43.24	41.18
	1 - 3/4	25.07	23.88	50.14	47.76
	2	27.24	25.95	54.48	51.90
	2 - 1/2	32.26	30.73	64.52	61.46
	3	37.46	35.67	74.92	71.34
	3 - 1/2	42.92	40.89	85.84	81.78

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/4"	4	47.54	45.29	95.08	90.58
	5	57.63	54.89	115.26	109.78
	6	67.86	64.64	135.72	129.28
	7	88.75	84.52	177.50	169.04
	8	100.42	95.65	200.84	191.30
	10	123.62	117.73	247.24	235.46
	12	146.82	139.83	293.64	279.66
5/16"	5/16	18.59	17.71	37.18	35.42
	3/8	21.18	20.17	42.36	40.34
	1/2	14.27	13.60	28.54	27.20
	5/8	15.55	14.82	31.10	29.64
	3/4	17.15	16.34	34.30	32.68
	7/8	18.59	17.71	37.18	35.42
	1	20.02	19.07	40.04	38.14
	1 - 1/4	22.62	21.55	45.24	43.10
	1 - 1/2	25.51	24.30	51.02	48.60
	1 - 3/4	28.81	27.45	57.62	54.90
	2	31.27	29.79	62.54	59.58
	2 - 1/2	37.16	35.40	74.32	70.80
3	42.92	40.89	85.84	81.78	
3 - 1/2	49.13	46.79	98.26	93.58	
4	54.75	52.14	109.50	104.28	
4 - 1/2	60.37	57.50	120.74	115.00	
5	66.13	62.99	132.26	125.98	
5 - 1/2	71.90	68.48	143.80	136.96	
6	77.66	73.96	155.32	147.92	
8	114.69	109.23	229.38	218.46	
10	141.05	134.34	282.10	268.68	
12	167.56	159.59	335.12	319.18	
3/8"	3/8	22.47	21.41	44.94	42.82
	1/2	17.28	16.47	34.56	32.94
	5/8	19.02	18.12	38.04	36.24
	3/4	20.89	19.90	41.78	39.80
	7/8	22.62	21.55	45.24	43.10
	1	24.35	23.20	48.70	46.40
	1 - 1/4	27.53	26.22	55.06	52.44
1 - 1/2	31.12	29.65	62.24	59.30	
1 - 3/4	35.01	33.35	70.02	66.70	

Quotations will be promptly supplied on any size or quantity.

## AISI S-7 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR S-7 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .45-.55 %      Molybdenum 1.30-1.80%      Phosphorus .030 %      Sulfur .030 %  
Manganese .20-.90 %      Chromium 3.00-3.50 %      Vanadium .35 %      Silicon .20-1.00 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
3/8"	2	38.03	36.22	76.06	72.44	
	2 - 1/2	45.10	42.96	90.20	85.92	
	3	52.14	49.67	104.28	99.34	
	3 - 1/2	59.65	56.82	119.30	113.64	
	4	66.13	62.99	132.26	125.98	
	4 - 1/2	73.17	69.70	146.34	139.40	
	5	80.26	76.44	160.52	152.88	
	6	94.22	89.74	188.44	179.48	
	7	123.04	117.18	246.08	234.36	
	8	135.43	128.99	270.86	257.98	
	10	171.02	162.88	342.04	325.76	
	12	203.01	193.35	406.02	386.70	
7/16"	5/8	26.62	25.36	53.24	50.72	
	3/4	28.69	27.32	57.38	54.64	
	7/8	31.05	29.58	62.10	59.16	
	1	33.45	31.87	66.90	63.74	
	1 - 1/4	37.40	35.63	74.80	71.26	
	1 - 1/2	42.65	40.62	85.30	81.24	
	2	52.14	49.67	104.28	99.34	
	2 - 1/2	61.64	58.72	123.28	117.44	
	3	70.98	67.61	141.96	135.22	
	3 - 1/2	81.14	77.28	162.28	154.56	
	4	90.00	85.72	180.00	171.44	
	4 - 1/2	99.85	95.10	199.70	190.20	
	5	109.52	104.30	219.04	208.60	
	5 - 1/2	122.67	116.83	245.34	233.66	
	6	128.54	122.42	257.08	244.84	
	1/2"	1/2	23.95	22.81	47.90	45.62
		5/8	26.62	25.36	53.24	50.72
		3/4	28.69	27.32	57.38	54.64
7/8		31.05	29.58	62.10	59.16	
1		33.45	31.87	66.90	63.74	
1 - 1/4		37.40	35.63	74.80	71.26	
1 - 1/2		42.65	40.62	85.30	81.24	
1 - 3/4		47.39	45.13	94.78	90.26	
2		52.14	49.67	104.28	99.34	
2 - 1/2		61.64	58.72	123.28	117.44	
3		70.98	67.61	141.96	135.22	
3 - 1/2		81.14	77.28	162.28	154.56	

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"	
1/2"	4	90.00	85.72	180.00	171.44	
	4 - 1/2	99.85	95.10	199.70	190.20	
	5	109.52	104.30	219.04	208.60	
	5 - 1/2	122.67	116.83	245.34	233.66	
	6	128.54	122.42	257.08	244.84	
	7	167.35	159.39	334.70	318.78	
	8	189.23	180.22	378.46	360.44	
	10	228.54	217.66	457.08	435.32	
	12	267.84	255.09	535.68	510.18	
	5/8"	5/8	27.50	26.19	55.00	52.38
		3/4	32.99	31.43	65.98	62.86
		7/8	35.72	34.02	71.44	68.04
1		38.46	36.63	76.92	73.26	
1 - 1/4		43.02	40.98	86.04	81.96	
1 - 1/2		49.03	46.70	98.06	93.40	
1 - 3/4		54.47	51.89	108.94	103.78	
2		59.96	57.11	119.92	114.22	
2 - 1/2		70.88	67.52	141.76	135.04	
3		81.64	77.76	163.28	155.52	
3 - 1/2		93.30	88.87	186.60	177.74	
4		103.51	98.58	207.02	197.16	
4 - 1/2		114.83	109.36	229.66	218.72	
5		125.94	119.94	251.88	239.88	
5 - 1/2		141.06	134.35	282.12	268.70	
6		147.81	140.78	295.62	281.56	
7		192.47	183.30	384.94	366.60	
8		217.62	207.26	435.24	414.52	
10	262.81	250.31	525.62	500.62		
3/4"	3/4	39.58	37.70	79.16	75.40	
	7/8	42.86	40.82	85.72	81.64	
	1	46.12	43.93	92.24	87.86	
	1 - 1/4	51.61	49.16	103.22	98.32	
	1 - 1/2	58.83	56.03	117.66	112.06	
	1 - 3/4	65.38	62.27	130.76	124.54	
	2	71.94	68.52	143.88	137.04	
	2 - 1/2	85.09	81.04	170.18	162.08	
	3	97.99	93.32	195.98	186.64	
	3 - 1/2	111.97	106.65	223.94	213.30	

Quotations will be promptly supplied on any size or quantity.

## AISI S-7 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION AIR S-7 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .45-.55 %      Molybdenum 1.30-1.80%      Phosphorus .030 %      Sulfur .030 %  
Manganese .20-.90 %      Chromium 3.00-3.50 %      Vanadium .35 %      Silicon .20-1.00 %

Size		Less than	\$2,000	Less than	\$2,000
		\$2,000	or	\$2,000	or
		18"	18"	36"	36"
3/4"	4	124.22	118.32	248.44	236.64
	4 - 1/2	137.79	131.23	275.58	262.46
	5	151.12	143.92	302.24	287.84
	5 - 1/2	169.28	161.23	338.56	322.46
	6	177.36	168.93	354.72	337.86
	7	230.95	219.96	461.90	439.92
	8	261.14	248.71	522.28	497.42
	10	315.38	300.37	630.76	600.74
1"	1	55.36	52.73	110.72	105.46
	1 - 1/4	61.94	58.99	123.88	117.98
	1 - 1/2	70.59	67.23	141.18	134.46
	1 - 3/4	78.46	74.73	156.92	149.46
	2	86.35	82.25	172.70	164.50
	2 - 1/2	102.10	97.24	204.20	194.48
	3	117.59	111.99	235.18	223.98
	3 - 1/2	134.38	127.99	268.76	255.98
	4	149.08	141.99	298.16	283.98
	4 - 1/2	165.33	157.47	330.66	314.94
	5	181.34	172.70	362.68	345.40
	5 - 1/2	203.13	193.46	406.26	386.92
	6	212.84	202.71	425.68	405.42
	7	277.12	263.93	554.24	527.86
	8	313.37	298.45	626.74	596.90
	10	378.43	360.42	756.86	720.84

## 4142 PRE-HARDENED PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION 4142 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .39-.46 %      Silicon .15-.35 %      Molybdenum .15-.25 %  
Manganese .65-1.10 %      Chromium .75-1.20 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/8"	1/8	21.99	20.94	43.98	41.88
	1/4	18.42	17.55	36.84	35.10
	5/16	14.87	14.17	29.74	28.34
	3/8	11.33	10.80	22.66	21.60
	1/2	7.79	7.42	15.58	14.84
	5/8	8.57	8.17	17.14	16.34
	3/4	9.35	8.91	18.70	17.82
	7/8	10.25	9.76	20.50	19.52
	1	11.14	10.61	22.28	21.22
	1 - 1/4	12.48	11.89	24.96	23.78
	1 - 1/2	14.03	13.36	28.06	26.72
	1 - 3/4	15.76	15.01	31.52	30.02
	2	17.42	16.59	34.84	33.18
	2 - 1/2	20.79	19.80	41.58	39.60
3	23.91	22.77	47.82	45.54	
3 - 1/2	26.50	25.24	53.00	50.48	
4	29.07	27.69	58.14	55.38	
4 - 1/2	33.12	31.54	66.24	63.08	
5	37.17	35.41	74.34	70.82	
6	43.64	41.57	87.28	83.14	
7	56.33	53.65	112.66	107.30	
8	63.63	60.61	127.26	121.22	
10	78.27	74.54	156.54	149.08	
12	88.46	84.25	176.92	168.50	
14	101.72	96.88	203.44	193.76	
3/16"	3/16	19.92	18.98	39.84	37.96
	1/4	17.56	16.73	35.12	33.46
	5/16	15.16	14.44	30.32	28.88
	3/8	12.77	12.17	25.54	24.34
	1/2	10.40	9.90	20.80	19.80
	5/8	10.56	10.06	21.12	20.12
	3/4	10.74	10.24	21.48	20.48
	7/8	11.85	11.28	23.70	22.56
	1	12.93	12.32	25.86	24.64
	1 - 1/4	13.71	13.06	27.42	26.12
	1 - 1/2	15.53	14.79	31.06	29.58
	1 - 3/4	17.22	16.40	34.44	32.80

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/16"	2	18.92	18.02	37.84	36.04
	2 - 1/2	22.48	21.41	44.96	42.82
	3	26.05	24.82	52.10	49.64
	3 - 1/2	29.54	28.14	59.08	56.28
	4	33.03	31.46	66.06	62.92
	4 - 1/2	36.50	34.76	73.00	69.52
	5	39.99	38.09	79.98	76.18
	6	46.98	44.75	93.96	89.50
	7	59.66	56.82	119.32	113.64
	8	68.00	64.77	136.00	129.54
	10	87.04	82.90	174.08	165.80
	12	103.56	98.64	207.12	197.28
	14	138.81	132.20	277.62	264.40
	1/4"	1/4	12.02	11.45	24.04
5/16		11.46	10.92	22.92	21.84
3/8		10.92	10.41	21.84	20.82
1/2		10.36	9.88	20.72	19.76
5/8		10.44	9.94	20.88	19.88
3/4		10.49	10.00	20.98	20.00
7/8		11.57	11.02	23.14	22.04
1		12.63	12.03	25.26	24.06
1 - 1/4		14.22	13.55	28.44	27.10
1 - 1/2		16.03	15.27	32.06	30.54
1 - 3/4		17.71	16.87	35.42	33.74
2		19.38	18.47	38.76	36.94
2 - 1/2		22.94	21.85	45.88	43.70
3		26.35	25.09	52.70	50.18
3 - 1/2	29.80	28.38	59.60	56.76	
4	33.28	31.69	66.56	63.38	
4 - 1/2	36.84	35.09	73.68	70.18	
5	40.38	38.47	80.76	76.94	
5 - 1/2	44.39	42.27	88.78	84.54	
6	48.36	46.06	96.72	92.12	
7	59.95	57.10	119.90	114.20	
8	67.75	64.53	135.50	129.06	
10	83.33	79.37	166.66	158.74	
12	99.17	94.45	198.34	188.90	
14	114.04	108.61	228.08	217.22	

Quotations will be promptly supplied on any size or quantity.

# AISI 4142 PRE-HARDENED PRECISION GROUND STOCK NET PRICES

## OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION 4142 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .39-.46 %      Silicon .15-.35 %      Molybdenum .15-.25 %  
Manganese .65-1.10 %      Chromium .75-1.20 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/16"	5/16	13.46	12.83	26.92	25.66
	3/8	12.53	11.94	25.06	23.88
	1/2	11.61	11.06	23.22	22.12
	5/8	12.08	11.51	24.16	23.02
	3/4	12.53	11.94	25.06	23.88
	7/8	13.73	13.08	27.46	26.16
	1	14.91	14.20	29.82	28.40
	1 - 1/4	16.54	15.76	33.08	31.52
	1 - 1/2	18.55	17.67	37.10	35.34
	1 - 3/4	20.64	19.66	41.28	39.32
	2	22.74	21.66	45.48	43.32
	2 - 1/2	26.36	25.10	52.72	50.20
	3	30.35	28.91	60.70	57.82
	3 - 1/2	34.25	32.63	68.50	65.26
	4	38.18	36.37	76.36	72.74
	4 - 1/2	42.09	40.08	84.18	80.16
	5	46.00	43.81	92.00	87.62
	5 - 1/2	49.91	47.53	99.82	95.06
	6	53.80	51.25	107.60	102.50
	7	66.70	63.54	133.40	127.08
8	75.41	71.82	150.82	143.64	
10	92.74	88.33	185.48	176.66	
12	110.34	105.09	220.68	210.18	
3/8"	3/8	13.90	13.24	27.80	26.48
	1/2	12.77	12.17	25.54	24.34
	5/8	13.48	12.84	26.96	25.68
	3/4	14.17	13.50	28.34	27.00
	7/8	15.46	14.73	30.92	29.46
	1	16.71	15.92	33.42	31.84
	1 - 1/4	18.36	17.49	36.72	34.98
	1 - 1/2	20.56	19.58	41.12	39.16
	1 - 3/4	22.64	21.56	45.28	43.12
	2	24.73	23.55	49.46	47.10
	2 - 1/2	28.91	27.53	57.82	55.06
	3	33.08	31.50	66.16	63.00
	3 - 1/2	37.27	35.50	74.54	71.00
	4	41.45	39.48	82.90	78.96
	4 - 1/2	45.63	43.46	91.26	86.92
	5	49.81	47.44	99.62	94.88
	5 - 1/2	53.99	51.43	107.98	102.86

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
3/8"	6	58.17	55.41	116.34	110.82
	7	70.97	67.60	141.94	135.20
	8	81.62	77.74	163.24	155.48
	10	100.38	95.60	200.76	191.20
	12	116.46	110.91	232.92	221.82
	14	132.75	126.43	265.50	252.86
	1/2"	1/2	15.91	15.16	31.82
5/8		16.69	15.90	33.38	31.80
3/4		17.46	16.63	34.92	33.26
7/8		18.81	17.92	37.62	35.84
1		20.17	19.22	40.34	38.44
1 - 1/4		22.18	21.12	44.36	42.24
1 - 1/2		24.54	23.38	49.08	46.76
1 - 3/4		26.91	25.63	53.82	51.26
2		29.18	27.80	58.36	55.60
2 - 1/2		33.99	32.37	67.98	64.74
3		38.72	36.88	77.44	73.76
3 - 1/2		43.46	41.39	86.92	82.78
4		48.17	45.88	96.34	91.76
4 - 1/2		52.90	50.38	105.80	100.76
5	57.62	54.88	115.24	109.76	
5 - 1/2	62.34	59.38	124.68	118.76	
6	67.07	63.88	134.14	127.76	
7	78.49	74.76	156.98	149.52	
8	87.11	82.96	174.22	165.92	
10	108.01	102.87	216.02	205.74	
12	123.12	117.26	246.24	234.52	
14	149.00	141.90	298.00	283.80	
5/8"	5/8	21.32	20.31	42.64	40.62
	3/4	23.08	21.99	46.16	43.98
	7/8	24.85	23.67	49.70	47.34
	1	26.63	25.37	53.26	50.74
	1 - 1/4	27.95	26.62	55.90	53.24
	1 - 1/2	29.26	27.87	58.52	55.74
	1 - 3/4	33.73	32.12	67.46	64.24
2	38.18	36.37	76.36	72.74	
2 - 1/2	44.21	42.11	88.42	84.22	
3	50.24	47.85	100.48	95.70	
3 - 1/2	56.24	53.57	112.48	107.14	

## 4142 PRE-HARDENED PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION 4142 is ground to plus or minus .001" on thickness, including 1-1/4". Over 1-1/4", plus or minus .002". Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tollerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .39-.46 %      Silicon .15-.35 %      Molybdenum .15-.25 %  
Manganese .65-1.10 %      Chromium .75-1.20 %

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/8"	4	62.26	59.30	124.52	118.60
	5	72.36	68.92	144.72	137.84
	6	82.45	78.53	164.90	157.06
	7	112.96	107.58	225.92	215.16
	8	123.12	117.26	246.24	234.52
	10	147.75	140.72	295.50	281.44
	12	169.91	161.82	339.82	323.64
3/4"	3/4	26.96	25.69	53.92	51.38
	7/8	29.17	27.79	58.34	55.58
	1	31.35	29.87	62.70	59.74
	1 - 1/4	35.19	33.52	70.38	67.04
	1 - 1/2	39.01	37.16	78.02	74.32
	1 - 3/4	42.56	40.54	85.12	81.08
	2	46.07	43.88	92.14	87.76
	2 - 1/2	53.17	50.64	106.34	101.28
	3	60.26	57.40	120.52	114.80
	3 - 1/2	67.32	64.12	134.64	128.24
	4	74.44	70.90	148.88	141.80
	4 - 1/2	81.51	77.64	163.02	155.28
	5	88.58	84.37	177.16	168.74
	6	102.73	97.85	205.46	195.70
	7	129.44	123.28	258.88	246.56
	8	143.69	136.85	287.38	273.70
	10	176.66	168.32	353.32	336.64
12	206.77	196.92	413.54	393.84	
1"	1	43.96	41.87	87.92	83.74
	1 - 1/4	46.40	44.20	92.80	88.40
	1 - 1/2	48.85	46.53	97.70	93.06
	1 - 3/4	53.11	50.59	106.22	101.18
	2	57.38	54.65	114.76	109.30
	2 - 1/2	65.92	62.79	131.84	125.58
	3	74.48	70.94	148.96	141.88
	3 - 1/2	83.01	79.06	166.02	158.12
	4	91.53	87.18	183.06	174.36
	4 - 1/2	100.08	95.32	200.16	190.64
	5	108.60	103.43	217.20	206.86
	6	125.64	119.67	251.28	239.34

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1	8	180.36	171.78	360.72	343.56
	10	218.25	207.87	436.50	415.74
	12	255.31	243.19	510.62	486.38
1-1/4	1 - 1/4	48.10	45.82	96.20	91.64
	1 - 1/2	51.49	49.05	102.98	98.10
	1 - 3/4	56.80	54.11	113.60	108.22
	2	62.23	59.27	124.46	118.54
	2 - 1/2	74.92	71.36	149.84	142.72
	3	86.33	82.23	172.66	164.46
	3 - 1/2	100.64	95.85	201.28	191.70
	4	109.66	104.45	219.32	208.90
	5	131.75	125.48	263.50	250.96
	6	153.35	146.06	306.70	292.12
1-1/2	8	182.09	173.43	364.18	346.86
	10	259.90	247.52	519.80	495.04
	1 - 1/2	54.62	52.02	109.24	104.04
	1 - 3/4	69.60	66.29	139.20	132.58
	2	77.25	73.58	154.50	147.16
	2 - 1/2	89.68	85.42	179.36	170.84
	3	102.11	97.25	204.22	194.50
	3 - 1/2	114.50	109.05	229.00	218.10
	4	126.92	120.88	253.84	241.76
	5	152.19	144.95	304.38	289.90
	6	179.14	170.61	358.28	341.22
	8	247.97	236.17	495.94	472.34
10	299.71	285.44	599.42	570.88	
12	434.87	414.17	869.74	828.34	

## AISI M-2 PRECISION GROUND STOCK NET PRICES OVERSIZE AND STANDARD PRICES ARE THE SAME

**TOLERANCES:** PRECISION M-2 is ground to plus or minus .001" on thickness. Widths are plus .005" minus .000". Lengths are furnished on the plus side. Oversize tolerances: .010" to .015" thickness and width.

**ANALYSIS:** Carbon .78-88 %      Molybdenum 4.50-5.50 %      Phosphorus .030 %      Sulfur .030 %  
 Tungsten 5.50-6.75 %      Chromium 3.75-4.50 %      Vanadium 1.75-2.20 %      Silicon .20-.45 %  
 Manganese .15-.40%

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
1/16"	1/2	17.10	16.30	34.20	32.60
	3/4	22.98	21.88	45.96	43.76
	1	26.30	25.06	52.60	50.12
	1 - 1/4	30.89	29.43	61.78	58.86
	1 - 1/2	35.47	33.79	70.94	67.58
	2	44.57	42.46	89.14	84.92
	3	57.19	54.48	114.38	108.96
	4	81.83	77.95	163.66	155.90
1/8"	1/2	23.81	22.68	47.62	45.36
	3/4	29.46	28.06	58.92	56.12
	1	34.96	33.30	69.92	66.60
	1 - 1/4	40.23	38.32	80.46	76.64
	1 - 1/2	45.49	43.33	90.98	86.66
	2	56.68	53.99	113.36	107.98
	3	79.04	75.28	158.08	150.56
	4	101.41	96.59	202.82	193.18
3/16"	3/16	53.97	51.41	107.94	102.82
	1/2	31.83	30.33	63.66	60.66
	3/4	39.01	37.16	78.02	74.32
	1	46.14	43.94	92.28	87.88
	1 - 1/4	52.95	50.43	105.90	100.86
	1 - 1/2	59.72	56.88	119.44	113.76
	2	74.07	70.55	148.14	141.10
	3	102.64	97.75	205.28	195.50
1/4"	1/4	54.73	52.13	109.46	104.26
	1/2	38.80	36.96	77.60	73.92
	3/4	47.22	44.98	94.44	89.96
	1	55.61	52.97	111.22	105.94
	1 - 1/4	63.43	60.42	126.86	120.84
	1 - 1/2	71.58	68.17	143.16	136.34
	2	88.18	83.98	176.36	167.96
	3	121.68	115.90	243.36	231.80
1/2"	1/2	155.17	147.79	310.34	295.58
	3/4	222.79	212.19	445.58	424.38
	1				
	1 - 1/4				
	1 - 1/2				
	2				
	3				
	4				

Size		Less than \$2,000 18"	\$2,000 or More 18"	Less than \$2,000 36"	\$2,000 or More 36"
5/16"	5/16	61.94	59.00	123.88	118.00
	1/2	46.09	43.91	92.18	87.82
	3/4	55.92	53.27	111.84	106.54
	1	65.85	62.72	131.70	125.44
	1 - 1/4	75.20	71.62	150.40	143.24
	1 - 1/2	84.53	80.50	169.06	161.00
	2	104.10	99.14	208.20	198.28
	3	143.41	136.59	286.82	273.18
3/8"	3/8	74.65	71.09	149.30	142.18
	1/2	56.12	53.45	112.24	106.90
	3/4	68.00	64.77	136.00	129.54
	1	79.89	76.10	159.78	152.20
	1 - 1/4	91.23	86.89	182.46	173.78
	1 - 1/2	102.56	97.68	205.12	195.36
	2	126.44	120.43	252.88	240.86
	3	173.95	165.67	347.90	331.34
1/2"	1/2	221.38	210.84	442.76	421.68
	3/4	316.38	301.31	632.76	602.62
	1				
	1 - 1/4				
	1 - 1/2				
	2				
	3				
	4				

Quotations will be promptly supplied on any size or quantity.



## COLOR CODES

0-1 .....	Yellow
A-2 .....	Green
1018 Low Carbon .....	Red
D-2 .....	Orange
A-6 .....	Purple
S-7 .....	Blue
4142 Pre-Hardened .....	White
M-2 .....	Tan

Please Visit our Website at [www.DBSteel.com](http://www.DBSteel.com)